ORIGINAL



1

BEFORE THE ARIZONA CORPORATION COMMISSION

05 03

2

3 |

4

5

6

7

8

9

10 11

12

13

14

15

16

. •

17 18

19 20

21

22

2324

FOR UTILITY SERVICE BY I'VALLEY WATER DISTRICT.

IN THE MATTER OF THE APARIZONA-AMERICAN WATE

JEFF HATCH-MILLER
CHAIRMAN

2006 MAY -5 P 1: 20

CHAIRMAN
WILLIAM A. MUNDELL
COMMISSIONER

COMMISSIONER

MARC SPITZER

COMMISSIONER

AZ CORP COMMISSIONE

DOCUMENT CONTROL

MIKE GLEASON
COMMISSIONER
KRISTIN K. MAYES
COMMISSIONER

IN THE MATTER OF THE APPLICATION OF ARIZONA-AMERICAN WATER COMPANY, INC., AN ARIZONA CORPORATION, FOR A DETERMINATION OF THE CURRENT FAIR VALUE OF ITS UTILITY PLANT AND PROPERTY AND FOR INCREASES IN ITS RATES AND CHARGES BASED THEREON FOR UTILITY SERVICE BY ITS PARADISE

IN THE MATTER OF THE APPLICATION OF ARIZONA-AMERICAN WATER COMPANY FOR APPROVAL OF AN AGREEMENT WITH THE PARADISE VALLEY COUNTRY CLUB. Docket No. W-01303A-05-0910

Docket No. W-01303A-05-0405

RUCO'S CLOSING BRIEF

INTRODUCTION

The Residential Utility Consumer Office ("RUCO") submits this Brief in support of its position that the Arizona Corporation Commission ("Commission") should authorize a rate decrease of (\$436,352) for the Paradise Valley Water District of the Arizona American Water Company ("Arizona American" or "Company"). While there are several issues in dispute and will be addressed in this Brief, RUCO's primary contention is that the Commission should reject the joint proposal of Staff and the Company to include in ratebase discretionary improvements. These discretionary expenditures, which concern fire flow improvements and

will total a minimum of \$16 million, will have the effect of doubling the Company's ratebase. In this time of soaring utility rates in every sector this Commission regulates, it is unwise to set a precedent allowing utilities to ratebase discretionary expenditures. Instead, the entity requesting the discretionary plant in this case should be encouraged to contribute it to the Company.

THE COMMISSION SHOULD REJECT THE JOINT PROPOSAL OF STAFF AND THE COMPANY TO INCLUDE IN RATEBASE DISCRETIONARY FIRE FLOW IMPROVEMENTS

1) BACKGROUND

In 2002, the Town of Paradise Valley ("Town") became concerned with its fire flow capabilities following a large fire that occurred as the result of a lightning strike. A-4¹ at 3. In April 2003, the Company and the Town's Water Committee entered into discussions on ways to improve the Town's water capacity in order to provide adequate fire flow protection. Id. The Company explained to the Town that fire flow standards are not set by the Commission, and proposed establishing a working group to address the issue with the community. Id.

In July 2003, the Company and the Town formed the Paradise Valley Water Users Group ("Group") which thereafter met and established priorities for the Company to follow in its consideration of discretionary improvements. Id. at 4. The Company, acting on the Group's recommendation developed a six-year, \$15.5² million fire flow improvement plan. Id. at 5. The Town advised the Company that the Town believed it was prohibited by A.R.S. §9-514 and/or the Gift Clause of the Arizona Constitution from funding the improvements and

That figure appears to be escalating with estimates as high as \$20 million. Transcript at 405, R-11 at 5.

¹ For ease of reference, trial exhibits will be identified similar to their identification in the Transcript of Proceedings. The Transcript volume number and page number will identify references to the Transcript.

24 |

requested that the Company make the discretionary improvements. R-1. Thus, the Company was aware that it would have to guarantee its own source of funding.

At some point in 2004, the Company started the discretionary improvements. Transcript at 157. The Company had not sought pre-approval to make the improvements or for funding from the Commission. Moreover, the Company had accepted the Town's explanation regarding its legal impediments to fund the discretionary improvements without verifying the explanation with the Company's attorneys. Id. at 156³.

2) TYPICALLY, ADVANCES OR CONTRIBUTIONS ARE REQUIRED TO FUND DISCRETIONARY PLANT. RATEBASING DISCRETIONARY FIRE FLOW INPROVEMENTS IS EXTRAODINARY RATE MAKING AND NOT JUSTIFIED BY THE CIRCUMSTANCES OF THIS CASE.

The Arizona Constitution charges the Commission with setting reasonable rates. Article 15, § 3 of the Constitution. Arizona Administrative Code ("A.A.C.") R14-2-407 (E) requires a minimum standard delivery pressure of 20 pounds per square inch gauged at the customer's meter or point of delivery. There is no other Commission Rule, policy or statute that governs or sets a fire flow standard. There is no regulatory rate making principle that requires or even supports a fire flow standard. As the Company willingly admits, the proposed \$16 million in fire flow improvements is a discretionary expenditure. A-19 at 27.

Typically, as the Company also admits, when a third party⁴ requests the construction of additional water infrastructure from a regulated utility, the Commission requires an Advance in Aid of Construction or a Contribution in Aid of Construction. Transcript at 159, R-11 at 8. This rate treatment is especially appropriate when the cost of the expenditures outweighs the

⁴ The Company admits with regard to a developer. Transcript at 159.

Not to the knowledge of the Company witness, Brian Biesemeyer who testified on the subject.

expected revenue from the project. R-11 at 8. Here, the discretionary expenditures will double the ratebase and **will not produce any additional revenue**. Id. at 4, Transcript at 405, S-1 at 5. If anything, the balance is weighted against rate basing the discretionary improvements in this case given the fact that the discretionary fire flow expenditures are non-revenue producing. The Commission should not approve the discretionary fire flow improvements.

3) THE FACT THAT RATEPAYERS WOULD BENEFIT OR THE TOWN HAS A LOCAL ORDINANCE THAT SETS FIRE FLOW MINIMUMS IS NOT SUFFICIENT JUSTIFICATION FOR THE COMMISSION TO RATEBASE DISCRETIONARY EXPENDITURES.

There appears to be two reasons why Staff and the Company are recommending rate base treatment of discretionary expenditures. First, ratepayers would benefit because the discretionary improvements are what ratepayers want, and second, they encourage improvements in public fire safety. Transcript at 157 – 158, 504, S-1 at 5. RUCO does not take issue with the aforementioned benefits, but this argument misses the point. The issue is not the benefit but who is going to pay for the benefit.

It is laudable that the people and the Town want to improve their public fire safety conditions. RUCO would never stand in the way or suggest that the Commission stand in the way of such an admirable goal. However, it should be the party that is requesting the benefit – the Town - not the water utility that pays for the improvements. Ratepayers would enjoy the same benefits if the Town paid for the improvements.

Moreover, should the Commission consider the benefits to ratepayers; it should consider all the ratepayers in Arizona, and not just the ratepayers that are served by the Company in the Paradise Valley District. The Company has been engaged in discussions with representatives from other communities regarding fire flow improvements. R-12 at 7.

1 | 2 | 4 | 1 | 5 | 6 |

Transcript at 425-429. While ratepayers in the Paradise Valley service area may be able to absorb increased rates associated with discretionary expenditures, many, if not the majority of people in other communities are on fixed incomes. The Commission should not burden ratepayers with discretionary investment that could in the long run jeopardize the affordability of water service in Arizona.

4) THERE IS NO LEGAL IMPEDIMENT PREVENTING THE TOWN FROM FUNDING THE FIRE FLOW IMPROVEMENTS

The Town is requesting the discretionary fire flow improvements, but the Town refuses to pay for them. The Town claims that it is legally prohibited by Arizona Revised Statute ("A.R.S.") § 9-514 and/or the Gift Clause of the Arizona Constitution from spending public monies to build infrastructure that would be owned by the Company. R-1. The Town's reliance on A.R.S. § 9-514 and/or the Gift Clause is misplaced – there is no legal impediment preventing the Town from funding the improvements.

A.R.S. § 9-514 provides in relevant part:

A. Before construction, purchase, acquisition or lease by a municipal corporation, as authorized in §§ 9-511, 9-511.01, 9-511.02, 9-512 and 9-513, of any plant or property or portion of property devoted to the business of or services rendered by a public utility shall be undertaken, the construction, purchase, acquisition or lease shall be authorized by the affirmative vote of a majority of the qualified electors who are taxpayers of the municipal corporation voting at a general or special municipal election duly called and held for the purpose of voting upon the question.

Article 9, § 7 of the Arizona Constitution - the "Gift Clause" - provide:

Section 7. Neither the state, nor the county, city, town, municipality, or other subdivision of the state shall ever give or loan its credit in the aid of, or make any donation or grant, by subsidy or otherwise, to any individual, association, or corporation, or become a subscriber to, or a shareholder in, any company or corporation, except as to such ownerships as may accrue to the state by operation or provision of law or as authorized by law solely for investment of the monies in the various funds of the state.

The Town is not the first municipality to claim A.R.S. § 9-514 and the Gift Clause prohibit a local municipality from paying for a water main that would provide adequate fire protection. In the *Town of Gila Bend v. Walled Lake Door Company*, 107 Ariz. 545, 490 P.2d 551 (1971), the Town of Gila Bend ("Gila Bend"), relying on A.R.S. § 9-514 and the Gift Clause, argued that it was not legally responsible to build and pay for a water main that was to benefit a single customer, Walled Lake Door Company ("Walled Lake"), pursuant to a contract that Walled Lake and Gila Bend entered into. Specifically, Walled Lake owned a plant in Gila Bend that was destroyed by fire. Id. at 547, 553. In order to reconstruct the damaged plant, Walled Lake needed assurances from Gila Bend that it would provide Walled Lake with adequate fire protection. Id. Gila bend agreed and the two parties entered into an agreement whereby Gila Bend would build the necessary water main to provide adequate fire protection in exchange for Walled Lake's agreement to reconstruct the fire damaged plant. Id. Walled Lake carried out its part of the bargain but Gila Bend failed to honor its part of the bargain, claiming ARS §9-514 and the Gift Clause prohibited it from performing. Id. at 548, 554.

The Arizona Supreme Court, rejecting Gila Bend's argument, held that A.R.S. § 9-514 (through 9-516) deals with the power of municipalities to engage in *competition* with businesses of a public nature. While these provisions would have been applicable had Gila Bend sought to enter into competition with the existing water utility, such was not the case and the Court rejected the argument. In the subject case, like *Gila Bend*, there is no issue of the Town competing with the Company to provide water utility service. The Commission should reject the Town's claim that A.R.S. § 9-514 prevents it from funding the discretionary expenditures that it is requesting.

Moreover, the plain language of the statute itself is clearly inapplicable to the present situation. A.R.S. § 9-514 concerns the construction, purchase, acquisition or lease of plant or

property by a municipal corporation – none of which the Town of Paradise Valley is requesting or contemplating. The Town is requesting that the Company make the improvements – the Town is not making the improvements, or purchasing, acquiring or leasing the Company's plant. When a statute's language is clear, the Courts in Arizona will not look beyond the statutes plain language to determine its meaning. *Hayes v. Continental Ins. Co.,* 178 Ariz. 264, 872 P.2d 668 (1994); City of Casa Grande v. Arizona Water Company, 199 Ariz. 547, 554, 20 P. 3d 590, 597 (App. 2001). The Town is not prohibited by A.R.S. § 9-514 from funding the discretionary fire flow improvements.

The Supreme Court further dismissed Gila Bend's argument that the Gift Clause prohibited Gila Bend from constructing the water main. Gila Bend's ill-fated argument, similar to arguments suggested in the present case, was that construction of the main would benefit only Walled Lake and therefore would violate the Gift Clause. *Town of Gila Bend* at 549, 490 P.2d 555. The Supreme Court noted that the evil sought to be avoided by the Gift Clause is the "depletion of the public treasury or inflation of public debt by engagement in non-public enterprise." Id., see also *State v. Northwestern Mutual Insurance Company*, 86 Ariz. 50 at 53, 340 P.2d. 200 at 201 (1959). Public funds are to be spent only for "public purposes" and not to "foster or promote the purely private or personal interests of any individual." *Town of Gila Bend*, supra, see also *Proctor v. Hunt*, 43 Ariz. 198, 29 P.2d 1058 (1934). The Court noted that each case is different and that each case must focus on the objective sought and the degree and manner in which that objective affects the public welfare. *Town of Gila Bend*, supra, see also *City of Glendale v. White*, 67 Ariz. 231 at 237, 194 P. 2d. 435 at 439 (1948).

In reaching its conclusion, the Court opined that the fact Walled Lake would benefit both directly and indirectly should a fire occur is of "absolutely no consequence." *Town of Gila Bend* at 549-550, 490 P.2d 551, 555-556. Merely because a company may benefit from a

public expenditure does not make that expenditure illegal. Id. The Court concluded that the Gift Clause does not apply because there is no doubt that supplying of water for purposes of preserving and protecting lives is a "public purpose" and one which will directly provide a direct benefit to the public at large.

The Supreme Court's reasoning squarely addresses the Town's position in the present case. Staff and the Company have argued, almost exclusively, that it is the "public purpose" of fire protection that is the basis for their recommendation to rate base the discretionary fire flow improvements. The improvements are in the public's best interest and the public will benefit greatly. The Town is not prohibited by the Gift Clause from paying for the fire flow improvements. Id. In fact, should the Town provide the fire flow-related mains to the Company as a contribution in aid of construction, the utility's books would reflect that contribution as an offset to the plant, and the Company would not have any additional rate base on which to earn any return. Thus, there would be no benefit to the Company at all.

The evidence indicates that the Town⁵ was and is fully aware that it is not prohibited by the law from funding fire flow improvements. In the Town's Water Committee meeting of May 3, 2005, the issue of payment regarding the emergency fire flow connection between the City of Scottsdale and the Berneil⁶ Water Systems was discussed. A-31. The cost of the connection had been quoted at \$46,175. R-13. The Town's attorney, Andrew Miller, stated that there was "... no legal impediment to the Town paying the cost of installing the connection because such expenditure is clearly for public safety purposes." A-31. Mr. Miller's statement is consistent with what the Arizona Supreme Court said in the *City of Gila Bend* case. The

⁵ Interestingly, the Town requested intervention in this matter in a letter to the Commission dated March 17, 2006. See Town of Paradise Valley letter dated March 17, 2006 and filed in this docket on March 20, 2006. Transcript at 6. The Town, however, did not appear at the hearing and was therefore not subject to cross-examination. Id. ⁶ The Berneil Water Company is one of the three providers of water in the Town of Paradise Valley. The other two providers are the City of Phoenix and the Company. Transcript at 450.

5

15

14

1617

19

20

18

2122

2324

only difference between the Berneil improvements and the Company's improvements is the magnitude of the cost which is irrelevant to the issue of who should pay. The Commission should not burden ratepayers with higher rates – the Commission should let the Town fund, through taxes, the discretionary plant it seeks.

Staff also believed the Town was legally impeded from paying for the discretionary costs. Transcript at 538. Staff's witness, Steve Olea, testified on cross-examination that his work with the Water Infrastructure and Finance Authority ("WIFA") was the "primary reason" he relied on the Town's explanation that it could not fund the discretionary costs. Transcript at 538. Mr. Olea further testified regarding the Gift Clause that WIFA had to get "... some kind of exemption around that state statute or county or city government couldn't gift anything to an investor owned entity." Transcript at 544. Apparently, Mr. Olea understood that WIFA, but for some exemption it received, would have been prohibited by the Gift Clause from loaning public money to water utilities. The Commission should give little weight to Mr. Olea's testimony on this matter, as he is not an attorney. Further, his understanding is misinformed, as the prohibition against a public agency gifting public resources to a private entity originates in the constitution, not a statute, and thus there is no way to get an exemption from it short of a constitutional amendment. Further, Mr. Olea's understanding apparently overlooks the Supreme Court's interpretation in Walled Lake Door that the provision of water to provide fire protection is a public purpose for which public monies can legally be spent.

5) THE COMPANY IS NOT REQUIRED BY THE TOWN'S FIRE ORDINANCE TO PAY FOR THE COSTS OF THE DISCRETIONARY FIRE FLOW IMPROVEMENTS

It has also been suggested that the Town's fire code places the cost burden of the fire flow improvements on the Company because the Company must comply with the fire code. Transcript at 117, 542. This narrow and restrictive interpretation of the Town Code is misplaced, and inappropriately subordinates the Commission's powers.

20

21

23

24

22

Code for the Town of Paradise Valley. Town Code, Section 13-1-10. Among other things, the International Fire Code provides for minimum fire flow requirements for one and two family dwellings with fire flow calculation areas which do not exceed 3.600 feet to be 1.000 gallons per minute. International Fire Code, 2003 Edition, Appendix B, Section B105. In addition, Section 13-1-13 (A) of the Town Code provides: "The minimum fire flow from all hydrants in the Town will be 1,500 gallons per minute (5,678.1 liters per minute)." S-11. The suggestion that the Town Code burdens the Company with the cost⁷ is misplaced. The Town Code does not impose the fire flow obligation on any particular entity. The International Fire Code's obligations regarding fire flows are imposed on builders of new construction. See Section's 102, 105 and B105 of the International Fire Code (relevant excerpts are attached hereto as Exhibit One). To the extent the Town has established a higher fire flow standard, but has not indicated that the obligation to meet that standard falls on any particular entity, the Town Code's obligation should similarly be imposed on those undertaking new construction within the Town limits. Thus, on its face the Town Code does not impose a burden for fire flow on the Company.

The Town's Municipal Code adopts the International Fire Code, 2003 Edition as the Fire

Additionally, interpreting the Code to obligate the Company to meet a fire flow standard would be constitutionally suspect. Such an interpretation would cause the Town to be impermissibly regulating a utility, imposing on this Commission's exclusive domain. This Commission's rate making authority is its exclusive prerogative, and the courts have been careful to protect the Commission's authority over rate making from infringements by other

⁷ The argument appears to be that since the Company must comply with the Town Code, ratepayers should reimburse the Company for costs that it is forced to incur.

branches. *Tucson Gas*, 15 Ariz. at 299-301; *Ethington v. Wright*, 66 Ariz. 382, 189 P.2d 209 (1948); *State ex rel Corbin v. Arizona Corp. Comm'n*, 174 Ariz. 216, 848 P.2d 301 (App. 1992).

The Town Code, on its face, does not conflict with the Commission's rate making authority. The reason it does not conflict is that it does not require the regulated utility to pay the costs of meeting the Town's standard. However, an interpretation of the Town Code as requiring the utility to fund increased fire flow plant would impinge⁸ on the Commission's exclusive ratemaking authority, and thus this interpretation should be avoided. See for example, *Fragaso v. Fell*, 210 Ariz. 427, 431 – 432, 111 P.3d 1027, 1031 – 1032 (App. 2005)(We endeavor to harmonize statutes and court rules with the Arizona Constitution, avoiding any unconstitutional construction.)

RELIEF REQUESTED: The Company accepted Staff's recommendation to include in ratebase the Jackrabbit/Invergordon discretionary fire flow improvements completed in October of 2005⁹. A-15 at 20, Executive Summary. In addition, the Company is requesting rate base treatment for additional work orders that have been completed since the Company's filing. S-2 at 4. These improvements include work along Nauni Valley Drive (\$420,755) and additional work on the Jackrabbit/Invergordan mains (\$105,164). Id. The Company is requesting ratebase treatment for the deferred depreciation and post-in-service AFUDC related to the Jackrabbit/Invergordon and Nauni improvements¹⁰. A-15 at 21 - 22.

⁸ The Town, through it Code, should not impose obligations on utilities which have the effect of increasing rates. Interpreting the Town Code to impose such obligations and effectually raise rates impairs the Commission's exclusive and absolute power to set rates as set forth in Article 15, Section 3 of the Constitution.

⁹ Staff's recommendation includes \$3,018,867 in ratebase for these improvements. Dorf surrebuttal at 3. ¹⁰ The Commission authorized deferral of the depreciation expense and post-in-Service AFUDC related to the fire flow improvements in Decision No. 68303 dated November 14, 2005. Decision No. 68303 at page 4.

RUCO opposes the inclusion of any of the discretionary improvements in the Company's ratebase and requests the Commission omit from ratebase the following items related to fire flow plant:

- 1) Jackrabbit/Invergordon improvements \$3,018,867 Post Hearing Schedule 3, page 1.
- 2) Deferred depreciation and post-in-service AFUDC related to the Jackrabbit/Invergordon and Nauni improvements \$168,590 A-15 at 21.
- 3) Additional work orders Nauni Valley Drive (\$420,755)
- 4) Additional work orders Jackrabbit/Invergordan mains (\$105,164).

REMAINING ISSUES

1) GAIN ON SALE OF LAND

The Company sold its former operations/customer center on Casa Blanca Drive for \$900,000 in 2004. A-19 at 35-36. The Company's net after tax gain on the sale was \$481,680.84. Id. The Company proposed sharing the gain 50-50 with ratepayers. Id. RUCO accepts the Company's proposed sharing as well as the Company's and Staff's recommendation to amortize the credit over three years. Transcript at 334. RUCO opposes the Company's proposed distribution of the gain to ratepayers.

Rather than adjust its ratebase to reflect the credit, the Company proposes a surcredit on each of its customer's monthly statements. Id. In this manner, the Company enjoys the benefit of the ratepayer's money cost free until the gain is fully disbursed. Id. Ratepayers receive no interest or other compensation for the delay in receiving their funds. Id. This is unfair to ratepayers and the Commission should reject the Company's proposed distribution of the gain.

1 | 2 | b 3 | r 4 | t 5 | a

RELIEF REQUESTED: In an effort to be fair, RUCO recommends that the rate base be offset by the ratepayer's portion of the gain. Id. RUCO's recommended revenue requirement would then reflect the appropriate level of return on shareholder equity through the recognition of the unpaid portion of the gain. Id. RUCO further recommends that the annual distribution of the gain be recorded on the income statement as a credit to operating expense. Id. Ratepayers would then only be subject to that burden associated with each year's distribution. Id.

Ratepayers should be entitled to the time value of their money. RUCO's proposal is a smart, equitable and fair method to assure ratepayers are appropriately compensated for the time value of their money. The Commission should adopt RUCO's recommended method for the distribution of the sale.

2) RATE CASE EXPENSE

The Company's proposed updated rate case expense is \$301,832. Company Post-Hearing Schedule 5, page 4. RUCO recommends \$73,179. R-5 at 11. The Company's recommended rate case expense is excessive and should be rejected.

The Commission typically looks at a variety of factors when considering rate case expense. Those factors include the complexity of the proceeding, the number of systems involved and a comparison of other cases. See for example Decision No. 67093 (Arizona-American's Sun City et al. rate case), Decision No. 66849 (Arizona Water Company). In addition, the Commission has recognized the need for companies to mitigate costs associated with retaining outside consultants. Decision No. 67093 at 20.

The Company has failed to mitigate the expenses associated with retaining outside consultants. Of the \$301,832 requested rate case expense, \$158,267 is related to the

1 C 2 3 a 4 a 5 w 6 th 7 h 8 s 9 m 10 s

Company's proposed Cost of Capital. The Company retained the services of the Brattle Group, a consulting firm with various offices located throughout the country and in London, to analyze and provide testimony regarding Cost of Capital. A-10 at 3. Two witnesses appeared and filed testimony on behalf of the Brattle Group, Lawrence Kolbe and Michael Vilbert, both of whom are based in Cambridge, Massachusetts. A-10 at 3, Transcript at 199. The financial theory regarding Cost of Capital presented by these witnesses is novel to this Commission and has been accepted in only one state in this country¹¹. Transcript at 222-223. RUCO is not suggesting that the Company should be denied the opportunity to present its argument, no matter how novel, unique or unorthodox it may be. RUCO believes, however, that ratepayers should not be charged for the Company's choice to incur the extra expense necessary to present unorthodox¹² arguments.

The Company's argument that ratepayers should bear the entire expense associated with arguing the Company's Cost of Capital case on the theory that only ratepayers benefit by the Company's argument is absurd. A-17 at 2. The Company originally sought recovery for only 50% of its Cost of Capital expense (\$79,383) on the theory that these services benefited both the Company's investors and ratepayers. A-22 at 3. Recently, the Company has advanced the astounding notion that the Company's Cost of Capital arguments only benefit ratepayers. A-17 at 2. According to Arizona American's employee, Thomas Broderick, ratepayers should pay for all of the Company's rate case expense regarding Cost of Capital since it supports its customer's health with new arsenic removal facilities and improves safety

¹¹ According to Dr. Kolbe his financial theories have been adopted in Missouri but not in the "rest of the states." Transcript at 223, A-11 at 30.

¹² RUCO also maintains that the Company is requesting extraordinary rate consideration concerning the fire flow improvements and ratepayers should not pay for the Company's rate case expense to put forth that argument. RUCO made a similar recommendation regarding the revenue requirement in the Company's Sun City case. Decision No. 67093 at 18-19.

12 | r 13 | c 14 | c 15 | l

23 ||-

with improved fire flows. A-17 at 2. However, the Cost of Capital issue concerns what is an appropriate return on the Company's investment. The fire flow and arsenic issues concern what costs should be considered in rate base. Cost of Capital is a separate and unrelated issue from fire flow and arsenic. What the Company is really trying to argue here is that its customers benefit from the Company's use of novel financial theories which, not coincidentally, result in higher Cost of Capital estimates than what either Staff or RUCO recommend. This argument is absurd. The Company's original attempt to mitigate its costs was made in good faith. The Company's subsequent decision to change its original recommendation and attempt to pass on to ratepayers the full burden of the costs associated with arguing its novel financial theories was not reasonable and shows a refusal on the Company's part to mitigate its costs.

There are also other elements of the Company's rate case expenses that are not reasonable. The Company is requesting rate case expense of \$42,677 for its rate design and cost of service analysis and testimony. A-17, Exhibit TMB-1. The Company's proposed rate design did not change from its existing rate design and the Company accepted Staff's High Block Usage Charges. Next the Company expended \$6,500¹³ in "witness training." While it is unclear exactly what the witnesses were trained for, this amount is excessive since all the individuals that testified on behalf of the Company are seasoned veterans of the witness chair.

This case involves one district. The issues are not complex. The parties agree on the Arsenic Cost Recovery Mechanism. The issue of fire flow has become a big issue because the Company has chosen to ratebase what it considers a discretionary expense. This treatment is not historically how the Commission has treated discretionary expenses. This treatment, while contentious, does not make this a "complex" case. Nor does RUCO's position

¹³ The Company's revised request is for \$3,250

1 | 2 | 3 | 4 | 5 | 5

on the ACRM make this matter contentious. A-17 at 6. RUCO does not oppose the proposed ACRM. RUCO is just alerting the Commission that there will be some issues that need to be resolved before the first step of the ACRM can be put into place. Transcript at 473. Moreover, there was nothing extraordinary in the way this case was prosecuted or defended. There was not an abnormal amount of investigation or discovery. The hearing lasted two full days. In sum, this case was typical, by comparison to other rate cases.

The Company makes the comparison to the Chaparral City case which allowed rate case expense of \$285,000. The two cases are not comparable. There were numerous complex issues in the Chaparral case. Among them were heavily contested savings vs. cost disputes regarding post test year plant, and a highly contentious dispute over the Commission's methodology for determining rate base and revenue requirement. See Decision No. 68176.

RELIEF REQUESTED: RUCO considered the complexity of this case, and the nature of the Company's request, and reviewed how rate case expense has been treated in other cases before the Commission. R-5 at 10. RUCO took the Company's last allowed rate case expense 15 for this district and trued-it up to today's value based on increases in the consumer price index. Id. RUCO's recommended rate case expense of \$73,179 is appropriate in this case.

Chaparral is presently appealing this case. See Chaparral City Water Company v. ACC, 1CA-CC 05-002.
 The Company and Staff concurred on rate case expense of \$60,000 in the Company's 1999 rate case. See Direct Testimony of Darron Carlson at page 4 and 10 and surrebuttal testimony of Darron Carlson at page 3,

3) PENSION EXPENSE, NORMALIZE PAYROLL AND PAYROLL TAXES

RUCO and the Company disagree on the treatment of labor hours associated with the arsenic removal project. The Company is proposing to embed in operation and maintenance expenses the annual labor cost of an arsenic plant operator the Company hired in October 2004¹⁶. R-6 at 7-8. The amount involved, \$41,603, is an expense that should be omitted from the rates established in this proceeding, and should instead be considered when the Company files for its arsenic step increase. RUCO's Post Hearing Schedule, RLM-4, page 1, line 28. There are other expenses associated with the annual labor cost being requested by the Company, totaling \$6,500,¹⁷ which should also be considered in the step increase phase of this proceeding.

Finally, RUCO revised the Company's test-year labor costs to exclude additional labor costs. The decrease in labor costs results in a corresponding decrease in pension costs of \$2,205. R-6 at 6.

RELIEF REQUESTED: At this time, there is no arsenic treatment plant, and therefore the Company should not be allowed to expense any costs associated with arsenic treatment. The Commission should reject the Company's request to include expenses associated with arsenic plant at this time which include Payroll – (\$41,603) and Payroll Tax – (\$4,295). RUCO also recommends the Commission adopt its corresponding adjustment to decrease pension expense by \$2,205.

4) ADMINISTRATIVE AND GENERAL ALLOCATED COSTS

RUCO's adjustments to this account focus on three areas.

¹⁶ The Company is making this recommendation despite its declaration that the ACRM is based solely on actual costs **after** the new arsenic facilities are in place. A-19 at 15.

 $^{^{17}}$ Those expenses include Pension -\$2,205 and Payroll Tax -\$4,295. RUCO's Post Hearing Schedule, RLM - 4, page 1.

- 1) Arizona Corporate allocated management fees;
- 2) Central Division Corporate District allocated miscellaneous expenses;
- 3) Arizona Corporate allocated miscellaneous expenses.

The first area in dispute, Arizona Corporate allocated management fees, totals \$62,478 and consists of three separate journal entries;

- A. American Water Incentive Plan ("AIP") (\$18,517);
- B. Performance Pay, Stay Bonus (\$1,520);
- C. Other Reorganization/Downsizing and non-incentive pay expenses (\$42,441).

The AIP is an employee incentive pay plan which the Company acknowledges is 70% tied into operational and individual components and 30% tied into the financial component. A-2 at 16. RUCO takes issue with the request by the Company to include the financial component. Stockholders, not ratepayers, are the sole beneficiaries of the additional profit the Company achieves as the result of the Company achieving its financial targets. The additional profits flow to shareholders in the form of dividends and retained earnings. Transcript at 342. Accordingly, RUCO disallowed 30% or \$5,555 of the total AIP expense.

In response, the Company highlights the current situation facing Arizona Public Service Company ("APS"). Transcript at 349-350. The Company argues that ratepayers benefit by a financially healthy company. Id. The comparison, however, is extreme and not equivalent. APS was recently before the Commission claiming it needed an emergency rate increase or its credit rating will be downgraded to junk status. Arizona American is a financially healthy Company seeking a rate increase, for the most part, to pass on the costs of fire flow improvements and arsenic treatment. The Company's credit rating is not at issue or in danger. Moreover, the connection between the Company's and APS' alleged financial status and

¹⁸ \$12,962 (\$18,517 - \$5,555)

employee incentive plans is at best tenuous, and has not been shown in the record. This argument is a red herring and should be disregarded by the Commission.

The remaining portion of the AIP¹⁸, the operational and individual components, benefits both the ratepayers and the shareholders. Likewise, the second journal entry, performance pay and stay bonus benefit both ratepayers and shareholders. R-6 at 20-21. RUCO agrees that increased customer satisfaction and the retention of good employees benefit both the ratepayer and the shareholder. It is not appropriate to burden either the shareholder or the ratepayer with 100% of the costs. Therefore, RUCO recommends that both the ratepayer and shareholder should pay for the remaining portion of the AIP, performance pay and bonus benefits equally.

The last component of the corporate management fees concerns the other reorganization, downsizing and non-incentive pay expenses. These expenses are non-recurring and atypical of test-year expenses. R-6 at 21. The Commission should disallow the other reorganization, downsizing and non-incentive pay expenses.

A second area in dispute concerns the Central Division Corporate district allocated miscellaneous expenses, The Company and RUCO are in dispute on one item in this account. The Company is requesting \$161 for the annual cost of ice. Transcript at 347, RUCO's Post-Hearing Schedules, RLM-4 at page 3. This item has been given a great amount of attention in this matter given the small amount at issue. RUCO's concern is not the money, but the principle. RUCO recommends the Commission disallow this expense as it is discretionary. Given escalating utility costs, the Commission should not burden the ratepayers with costs that

are not necessary. The cost of food and perishables such as liquor, bottled water, ice, sodas and bagels should not be at the expense of ratepayers. R-6 at 23.

The adjustments that remain in issue in the third area of dispute, Arizona Corporate allocated miscellaneous expenses also involve relatively small amounts. RUCO has rejected Indoor Plant Maintenance (\$547) and Security Renovations and Remodeling (\$1,023). R-6 at 24. The indoor plant maintenance, like ice, is not a necessary expense in the provisioning of water service. R-6 at 25. The security renovations and remodeling are nonrecurring and not typical historical test-year expenses. Id. at 25. The Commission should reject the indoor plant maintenance and security renovation expense.

RELIEF REQUESTED; RUCO recommends the following reductions to the administrative and general allocated costs:

1.	AIP and Performance Pay, Stay Bonus	\$12,795 ¹⁹
	Other Reorganization/Downsizing and non-incentive	
	pay expenses	\$42,441
2.	Ice Expense	\$161

Indoor Plant Maintenance andSecurity Renovations and Repairs \$127

Transcript at 347, RUCO's Post-Hearing Schedules, RLM-4 at page 3.

 $^{^{19}}$ \$12,962 + \$1,520 = \$14,482/2 = \$7,241 + \$5,555 (30% AIP) = \$12,795. R-6 at 20, 21 and 26, RUCO's Post-Hearing Schedules, RLM-4 at page 3.

5) PROPERTY TAXES

There are two property tax issues in dispute. The first issue concerns the property tax associate with the Miller Road Treatment Facility ("MRTF"). RUCO has reduced the Company's property taxes by \$42,000²⁰ to remove that portion of the property taxes that are attributable to the MRTF. R-5 at 21. The Company's books and records show a property tax accrual of \$56,844. R-5 at 21, R-6 at 15. This is the only expense the Company failed to include in its adjustments to remove the expenses associated with the MRTF. Id. The Company claims that it accounted for the reduction in property taxes associated with the MRTF through its property tax calculation which utilized the methodology approved by the Commission and adopted by Staff and the Company. A-15 at 38. The Company's calculation yields an estimate of about \$14,000 for the MRTF taxes. Id. at 39. The Company's estimate substantially understates the test year recorded MRTF property taxes, and should be rejected.

The Company also argues that Motorola has disputed that property tax is an "operating expense" as provided for in the agreement it has with the Company, and as a result has never reimbursed the Company for the MRTF property taxes. Id. This argument has no merit. Property taxes are a part of the cost of operating the MRTF. Motorola's refusal to pay the legitimate costs of operating the MRTF should not result in ratepayers having to fund those costs, as the Company argues. The Company needs to seek redress through the agreement's dispute provisions and not through rates.

²⁰ The Company's test year Motorola property taxes are calculated at approximately \$14,000. R-6 at 15. The actual test year Motorola property tax was \$56,000. The difference, \$42,000 adjusts for the error. Id.

24 || ²¹ Excluding MRTF.

The second property tax issue concerns the use of the Arizona Department of Revenue's ("ADOR") formula in the calculation of its property taxes. The evidence continues to show, despite the Commission's failure to recognize it, that the use of the ADOR formula to estimate property taxes is a much more accurate estimate of actual property tax than the methodology that the Company proposes and the Commission has historically adopted. This case is no exception. R-5 at 22. RUCO's recommended property tax expense calculation was based on the ADOR property tax formula. Id. The property tax formula, as prescribed in ADOR's memo dated January 3, 2001, values water utilities, for property tax purposes by multiplying the average of the water utility's three previous years of reported gross revenues by a factor of two. Id. at 23.

The Company has disregarded the revenues required under the ADOR directive and substituted in its place the adjusted test-year revenues twice and its proposed level of revenues once ("Company methodology"). Id. RUCO, for valuation purposes, has included the test year (2004) and the prior two years (2002, 2003) as directed by ADOR ("ADOR methodology"). Since the ADOR issued its memo, enough time has passed so that actual property tax figures for 2005 are available and the Commission can compare those figures to the estimated figures derived using the Company's and the ADOR methodologies. Paradise Valley Water Company's actual 2005 test-year property taxes were \$162,193²¹. Id. Using the ADOR methodology, RUCO's estimated 2005 property tax assessment is \$170,334, a difference from the actual expense of \$8,141. Id. However, using the Company's methodology

results in an estimate of \$214,895, a difference of \$52,702 from the actual expense. Id. This evidence clearly demonstrates that ADOR's method more closely approximates the Company's actual post-test year property tax bill than does the Company and Staff methodology. The Commission should adopt RUCO's approach and recognize the ADOR methodology as the best measure of actual property tax expense.

The Company relies on previous Commission Decisions which conclude that RUCO's methodology, and hence the ADOR methodology, unreasonably understates property tax expense. A-15 at 40. With all due respect, the evidence has shown and continues to show, as in this case, that the ADOR methodology is the most accurate. In this case, had the Commission previously approved the Company's methodology, property taxes for 2005 would have been overstated by \$51,048 which would have allowed the Company to over earn for several years until that level of tax was actually assessed. Id. at 24. The Commission should adopt the ADOR methodology.

RELIEF REQUESTED: RUCO recommends the Commission adopt its net adjustment to property tax expense of (\$44,561) which results in a proper accounting for the MRTF property taxes and utilizes the ADOR formula to compute the taxes. R-6 at 17, RUCO Post Hearing Schedules, RLM -4, p. 2.

6) WORKING CAPITAL

A company's working capital requirement represents the amount of cash the company must have on hand to cover any differences in the time period between when revenues are received and expenses must be paid. R-7 at 9. The most accurate way to measure the working capital requirement is via a lead/lag study. Id. The lead/lag study measures the actual lead and lag days attributable to the individual revenues and expenses. Id.

11 12

10

14

13

15 16

17

19

20

18

21

22

23

24

The Company originally computed its cash working capital requirement from a lead/lag study that it performed. Based on its lead/lag study, the Company originally requested working capital in the amount of \$350,946. Id. RUCO spent a considerable amount of time analyzing and reviewing the Company's original lead/lag study. R-8 at 13. Other than the adjustments and reconciliation inaccuracies that RUCO made and pointed out²², RUCO believes that the original study was reasonable and should not have been changed. ld.

The Company, in its rebuttal testimony, agreed with some of RUCO's adjustments and proposed a revised cash working capital lead/lag study. A-15 at 16. The Company's revised cash working capital request was \$115,182. Id. at 19. For the most part, RUCO agreed with the Company's revised lead/lag study with the following exceptions. The Company added back into its lead/lag two non-cash working capital items - return on equity and depreciation and amortization expense. A-15 at 18. The Company also added in a new line item entitled "Management Fees." Id. By excluding these items from the revised lead/lag study, RUCO's recommendation for cash working capital was, and still is (\$229,565). RUCO recommends (\$221,791) for total working capital. R-8 at 15.

The reason for the great disparity between RUCO and the Company's rebuttal working capital recommendations is the Company's choice to include non-cash items. The Commission's position on including non-cash items in working capital calculations is well settled - the Commission does not allow it. In a previous rate case, the Commission disallowed the Company's request to include depreciation and amortization expense in its calculation of cash working capital. (Decision No. 59079, dated May 5, 1995) Commission stated:

²² RUCO's original recommended working capital allowance was (\$231,837). R-7 at 9.

As we have stated in numerous other decisions, the calculation is for "cash working capital" and not "cash and non-cash working capital".

Decision No. 59079 at 7 (emphasis added).

Perhaps sensing that its working capital recommendation was also ill-fated, the Company changed its position for a second time at the hearing. Transcript at 67. The Company joined in Staff's position recommending a zero working capital allowance. Id. Staff evaluated the Company's lead/lag study, determined that property taxes should have a negative effect, not a positive one as the Company determined on its working capital requirements²³. S-1 at 6. Staff made its recommendation despite noting that most sophisticated companies, like the subject Company, have "negative" working capital requirements. Id. Staff cites to nothing that distinguishes the Company from most other sophisticated utilities. The Commission should reject the joint recommendation of the Company and Staff.

Staff's recommendation appears to have no in-depth data-based connection to this Company's actual working capital needs. A detailed review of the Company's lead/lag study taking into account only cash items results in a negative working capital requirement which, as Staff concludes, is normally the case for utilities like the Company. The Commission should rely on the hard data provided in the lead/lag study to measure the Company's working capital requirements. RUCO's recommended cash working capital adjusts the Company's lead/lag study to include only those items the Commission has allowed in the past.

RELIEF REQUESTED: The Commission should approve RUCO's recommendation of (\$61,432) for cash working capital and (\$129,155) for total working capital. R-8 at 15.

²³ Staff noted that "other errors" also played a role in its recommendation. S-1 at 6.

7) COST OF CAPITAL

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

RUCO believes the Commission should adopt RUCO's recommended rate of return of 7.10 percent, which is the weighted cost of RUCO's recommended costs of debt and equity capital. R-10 at 4.

RUCO believes that the 10.00 percent cost of common equity is appropriate given the current environment of low inflation and low interest rates that the Company is operating in. R-9 AT 47. RUCO further believes that the 10 percent cost of common equity estimated by RUCO witness William A. Rigsby is very reasonable when the Company's capital structure of 37 percent equity and 63 percent debt is compared with the capital structures of other publicly traded water providers which averaged 49.9 percent equity and 50.1 percent debt. Id at 48. Mr. Rigsby's belief that the Company is subject to greater financial risk compared to the other utilities considered in his Cost of Capital analysis is validated by the greater debt in the Company's capital structure compared to the sample. Id. Publicly traded companies with a level of debt similar to the Company's would be perceived as riskier than the average of the sample and would therefore have a higher expected rate of return on common equity. Id. at 49. In order to account for this added risk it is customary in the regulatory practice to make an upward adjustment to the Company's cost of equity. In this case, Mr. Rigsby's added 50 basis points to the results of his DCF and CAPM analysis. Id. Mr. Rigsby simply considered the adjustment the Commission authorized in the Company's most recent rate case to arrive at his recommendation. R-10 at 7.

All things considered, Mr. Rigsby's adjustment is just ten points lower than Staff's 60 basis point adjustment. Id. The Commission, in the recent Southwest Gas application,

23

24

17

16

11

12

13

14

15

18

19

20 21

22

23

24

awarded that leveraged gas provider with a 9.50 percent return on common equity²⁴. Id. The Company, on the other hand, believes that its higher debt percentage, and consequently higher risk, warrant a 12 percent cost of common equity. The Company, however, is regulated, unlike other companies considered in its proxies, and can apply for rate relief when the need arises. R-9 at 61. This makes it less risky than non-regulated companies which need to seek bankruptcy relief when their debts become excessively burdensome. Moreover, the Commission's favorable position regarding many of the current costs water utilities currently face (arsenic treatment, deferred CAP costs etc.) provides for a favorable regulatory environment in Arizona which eliminates the need for returns as high as the Company is recommending. Id. at page 62-63. The Commission should reject the Company's proposed 12% percent cost of equity and 7.80% weighted average Cost of Capital.

RELIEF REQUESTED: RUCO recommends the Commission adopt its recommended cost of equity of 10% and weighted average Cost of Capital of 7.10%. R-10 at 3-4. The Company's proposed cost of equity of 12% is unreasonably high and not warranted Likewise the Company's weighted average Cost of Capital under the circumstance. recommendation of 7.80% should also be rejected. Id.

INCOME TAX EXPENSE 8)

RUCO's adjustment to income tax expense is made to reflect income tax expenses calculated on RUCO's recommended revenues and expenses.

²⁴ Southwest Gas has similar risk characteristics to water providers and had slightly less common equity than the Company. Id.

RELIEF REQUESTED: RUCO's recommends the Commission adopt its adjustment to income tax expense which decreases test year expenses by (\$21,154). R-6 at 27.

9) PLANT HELD FOR FUTURE USE ("PHFFU")

Both RUCO and Staff recommend the Commission disallow PHFFU. R-7 at 4. It is not sound regulatory policy or consistent with accounting ratemaking standards to allow in rate base plant that is not used and useful. Id. at 6. PHFFU is not used and useful in serving current ratepayers and should be disallowed²⁵.

RELIEF REQUESTED: RUCO's recommends the Commission adopt its adjustment to disallow PHFFU in the amount of \$7,825 from ratebase. RUCO's Post-Hearing Schedule, TJC-2.

10) RATE DESIGN

RUCO recommends that the Commission adopt its three tiered inverted rate design which mirrors the Company's proposed rate design with one exception - RUCO's analysis requires a rate decrease. R-8 at 15. RUCO's rate design encourages conservation and maintains the same ratio between the Company's present monthly minimum and commodity charges. R-7 at 22.

²⁵ In the hearing, Mr. Coley agreed that a backup pump at Well 16 was in fact being used (to service the well when its main motor failed) and should not have been included in his PHFFU adjustment. Accordingly, RUCO's final recommendation excludes the costs associated with that pump from its adjustment. Transcript at 368 – 369, A-15 at 7.

RELIEF REQUESTED: RUCO recommends the Commission adopt its rate design as shown on Schedules TJC-6, pages 1-9 of RUCO Exhibit R-7.

CONCLUSION

RUCO recommends that the Commission reject the Company's proposal to ratebase discretionary fire flow projects. It would be bad public policy for the Commission to approve for ratebase treatment expenditures that are discretionary. The Commission has not set fire flow standards in the Town of Paradise Valley. Moreover, the Town is not impeded legally from paying the costs of the discretionary improvements and the Town, not the Company, should raise the funds necessary to pay for the improvements.

With regard to the gain on the sale of the plant located on Casa Blanca Drive, RUCO recommends that the Company's rate base be offset by the ratepayer's portion of the gain. RUCO further recommends that the annual distribution of the gain be recorded on the income statement as a credit to operating expense. RUCO recommends the Commission adopt its remaining recommendations to the following:

- 1) Rate case expense \$73,179;
- Pension Expense, Normalized Payroll and Normalized Payroll Expense Reject the Company's request to include expenses associated with arsenic recovery which include the following;
 - a) Payroll –(\$41,603)
 - b) Payroll Tax –(\$4,295)
 - c) Pension expense -(\$2,205)

AIP-\$12,795,

1	COPIES of the foregoing hand delivered mailed this 5 th day of May, 2006 to: Lyn Farmer Chief Administrative Law Judge Hearing Division	
2		
3		
4	Arizona Corporation Commission	
5	1200 West Washington Phoenix, Arizona 85007	
6	Teena Wolfe, Administrative Law Judge Hearing Division Arizona Corporation Commission 1200 West Washington Phoenix, Arizona 85007	
7		
8		
9	Christopher Kempley, Chief Counsel Legal Division	
10	Arizona Corporation Commission 1200 West Washington	
11	Phoenix, Arizona 85007	
12	Ernest Johnson, Director Utilities Division	
13	Arizona Corporation Commission 1200 West Washington Phoenix, Arizona 85007	
14		
15	Craig A. Marks Corporate Counsel, Western Region	
16	American Water	
17	19820 N. 7 th Street, Suite 201 Phoenix, Arizona 85024	
18	Robert J. Metli	
19	Snell & Wilmer L.L.P. One Arizona Center	
20	400 E. Van Buren Phoenix, AZ 85004-2202	
21		
22	De Cambi Hamble	
23	By <u>Innestine</u> <u>Namuke</u> Ernestine Gamble	

EXHIBIT ONE

14. Member of thre triserralisment, Code tearnity. $^-$



2003 International Fire Code®

First Printing: December 2002 Second Printing: October 2003 Third Printing: March 2004 Fourth Printing: May 2004

ISBN # 1-892395-60-6 (soft) ISBN # 1-892395-59-2 (loose-leaf) ISBN # 1-892395-81-9 (e-document)

COPYRIGHT © 2002 by INTERNATIONAL CODE COUNCIL, INC.

ALL RIGHTS RESERVED. This 2003 International Fire Code® is a copyrighted work owned by the International Code Council, Inc. Without advance written permission from the copyright owner, no part of this book may be reproduced, distributed, or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example and not limitation, photocopying, or recording by or in an information storage retrieval system). For information on permission to copy material exceeding fair use, please contact: Publications, 4051 West Flossmoor Road, Country Club Hills, IL 60478-5795 (Phone 800-214-4321).

Trademarks: "International Code Council," the "International Code Council" logo and the "International Fire Code" are trademarks of the International Code Council, Inc.

PREFACE

Introduction

Internationally, code officials recognize the need for a modern, up-to-date fire code addressing conditions hazardous to life and property from fire, explosion, handling or use of hazardous materials and the use and occupancy of buildings and premises. The *International Fire Code*®, in this 2003 edition, is designed to meet these needs through model code regulations that safeguard the public health and safety in all communities, large and small.

This comprehensive fire code establishes minimum regulations for fire prevention and fire protection systems using prescriptive and performance-related provisions. It is founded on broad-based principles that make possible the use of new materials and new system designs. This 2003 edition is fully compatible with all the International Codes ("I-Codes") published by the International Code Council (ICC), including the International Building Code, ICC Electrical Code, International Energy Conservation Code, International Existing Building Code, International Fuel Gas Code, International Mechanical Code, ICC Performance Code, International Plumbing Code, International Private Sewage Disposal Code, International Property Maintenance Code, International Residential Code, International Urban-Wildland Interface Code and International Zoning Code.

The International Fire Code provisions provide many benefits, among which is the model code development process that offers an international forum for fire safety professionals to discuss performance and prescriptive code requirements. This forum provides an excellent arena to debate proposed revisions. This model code also encourages international consistency in the application of provisions.

Development

The first edition of the *International Fire Code* (2000) was the culmination of an effort initiated in 1997 by a development committee appointed by ICC and consisting of representatives of the three statutory members of the International Code Council: Building Officials and Code Administrators International, Inc. (BOCA), International Conference of Building Officials (ICBO) and Southern Building Code Congress International (SBCCI). The intent was to draft a comprehensive set of fire safety regulations consistent with and inclusive of the scope of the existing model codes. Technical content of the latest model codes promulgated by BOCA, ICBO and SBCCI was utilized as the basis for the development, followed by public hearings in 1998 and 1999 to consider proposed changes. This 2003 edition presents the code as originally issued, with changes approved through the ICC Code Development Process through 2002. A new edition such as this is promulgated every three years.

With the development and publication of the family of *International Codes* in 2000, the continued development and maintenance of the model codes individually promulgated by BOCA ("BOCA National Codes"), ICBO ("Uniform Codes") and SBCCI ("Standard Codes") was discontinued. This 2003 *International Fire Code*, as well as its predecessor—the 2000 edition, is intended to be the successor fire code to those codes previously developed by BOCA, ICBO and SBCCI.

The development of a single set of comprehensive and coordinated family of *International Codes* was a significant milestone in the development of regulations for the built environment. The timing of this publication mirrors a milestone in the change in structure of the model codes, namely, the pending Consolidation of BOCA, ICBO and SBCCI into the ICC. The activities and services previously provided by the individual model code organizations will be the responsibility of the Consolidated ICC.

This code is founded on principles intended to establish provisions consistent with the scope of a fire code that adequately protects public health, safety and welfare; provisions that do not unnecessarily increase construction costs; provisions that do not restrict the use of new materials, products or methods of construction; and provisions that do not give preferential treatment to particular types or classes of materials, products or methods of construction.

Adoption

The International Fire Code is available for adoption and use by jurisdictions internationally. Its use within a governmental jurisdiction is intended to be accomplished through adoption by reference in accordance with proceedings establishing the jurisdiction's laws. At the time of adoption, jurisdictions should insert the appropriate information in provisions requiring specific local information, such as the name of the adopting jurisdiction. These locations are shown in bracketed words in small capital letters in the code and in the sample ordinance. The sample adoption ordinance on page v addresses several key elements of a code adoption ordinance, including the information required for insertion into the code text.

Maintenance

The International Fire Code is kept up to date through the review of proposed changes submitted by code enforcing officials, industry representatives, design professionals and other interested parties. Proposed changes are carefully considered through an open code development process in which all interested and affected parties may participate.

The contents of this work are subject to change both through the Code Development Cycles and the governmental body that enacts the code into law. For more information regarding the code development process, contact the Code and Standard Development Department of the International Code Council.

While the development procedure of the *International Fire Code* assures the highest degree of care, ICC and the founding members of ICC—BOCA, ICBO, SBCCI—their members and those participating in the development of this code do not accept any liability resulting from compliance or noncompliance with the provisions because ICC and its founding members do not have the power or authority to police or enforce compliance with the contents of this code. Only the governmental body that enacts the code into law has such authority.

Letter Designations in Front of Section Numbers

In each code development cycle, proposed changes to this code are considered at the Code Development Hearing by the International Fire Code Development Committee, whose action constitutes a recommendation to the voting membership for final action on the proposed change. Proposed changes to a code section whose number begins with a letter in brackets are considered by a different code development committee. For instance, proposed changes to code sections which have the letter [P] in front (e.g. [P] 912.5), are considered by the International Plumbing Code Development Committee at the Code Development Hearing. Where this designation is applicable to the entire content of a main section of the code, the designation appears at the main section number and title and is not repeated at every subsection in that section.

The content of sections in this code which begin with a letter designation are maintained by another code development committee in accordance with the following: [B]= International Building Code Development Committee; [EB] = International Existing Building Code Development Committee; [M] = International Mechanical Code Development Committee; [P] = International Plumbing Code Development Committee.

Marginal Markings

Solid vertical lines in the margins within the body of the code indicate a technical change from the requirements of the 2000 edition. Deletion indicators (\Rightarrow) are provided in the margin where a paragraph or item has been deleted.

Chapter 10 user note: Chapter 10 of the code has been reorganized from the 2000 edition as a result of an approved code change proposal. This resulted in a renumbering of the chapter from nine sections to 27. The presentation of text predominantly follows that of the 2000 edition; however, the section numbers have been revised. Marginal markings are included at each section number but have not been included to reflect the subsection renumbering. A comprehensive 2000/2003 Chapter 10 section number cross index is posted in the ICC website at www.intlcode.org.

ORDINANCE

The International Codes are designed and promulgated to be adopted by reference by ordinance. Jurisdictions wishing to adopt the 2003 International Fire Code as an enforceable regulation governing regulating and governing the safeguarding of life and property from fire and explosion hazards arising from the storage, handling and use of hazardous substances, materials and devices, and from conditions hazardous to life or property in the occupancy of buildings and premises should ensure that certain factual information is included in the adopting ordinance at the time adoption is being considered by the appropriate governmental body. The following sample adoption ordinance addresses several key elements of a code adoption ordinance, including the information required for insertion into the code text.

SAMPLE ORDINANCE FOR ADOPTION OF THE INTERNATIONAL FIRE CODE ORDINANCE NO.

An ordinance of the [JURISDICTION] adopting the 2003 edition of the *International Fire Code*, regulating and governing the safe-guarding of life and property from fire and explosion hazards arising from the storage, handling and use of hazardous substances, materials and devices, and from conditions hazardous to life or property in the occupancy of buildings and premises in the [JURISDICTION]; providing for the issuance of permits and collection of fees therefor; repealing Ordinance No. ______ of the [JURISDICTION] and all other ordinances and parts of the ordinances in conflict therewith.

The [GOVERNING BODY] of the [JURISDICTION] does ordain as follows:

Section 1. That a certain document, three (3) copies of which are on file in the office of the [TITLE OF JURISDICTION'S KEEPER OF RECORDS] of [NAME OF JURISDICTION], being marked and designated as the International Fire Code, 2003 edition, including Appendix Chapters [FILL IN THE APPENDIX CHAPTERS BEING ADOPTED] (see International Fire Code Section 101.2.1, 2003 edition), as published by the International Code Council, be and is hereby adopted as the Fire Code of the [JURISDICTION], in the State of [STATE NAME] regulating and governing the safeguarding of life and property from fire and explosion hazards arising from the storage, handling and use of hazardous substances, materials and devices, and from conditions hazardous to life or property in the occupancy of buildings and premises as herein provided; providing for the issuance of permits and collection of fees therefor; and each and all of the regulations, provisions, penalties, conditions and terms of said Fire Code on file in the office of the [JURISDICTION] are hereby referred to, adopted, and made a part hereof, as if fully set out in this ordinance, with the additions, insertions, deletions and changes, if any, prescribed in Section 2 of this ordinance.

Section 2. That the following sections are hereby revised:

Section 101.1 Insert: [NAME OF JURISDICTION]

Section 109.3. Insert: [OFFENSE, DOLLAR AMOUNT, NUMBER OF DAYS]

Section 111.4. Insert: [DOLLAR AMOUNT IN TWO LOCATIONS]

Section 3. That the geographic limits referred to in certain sections of the 2003 International Fire Code are hereby established as follows:

Section 3204.3.1.1 (geographic limits in which the storage of flammable cryogenic fluids in stationary containers is prohibited): [JURISDICTION TO SPECIFY]

Section 3404.2.9.5.1 (geographic limits in which the storage of Class I and Class II liquids in above-ground tanks outside of buildings is prohibited): [JURISDICTION TO SPECIFY]

Section 3406.2.4.4 (geographic limits in which the storage of Class I and Class II liquids in above-ground tanks is prohibited): [JURISDICTION TO SPECIFY]

Section 3804.2 (geographic limits in which the storage of liquefied petroleum gas is restricted for the protection of heavily populated or congested areas): [JURISDICTION TO SPECIFY]

Section 4. That Ordinance No. ______ of [JURISDICTION] entitled [FILL IN HERE THE COMPLETE TITLE OF THE ORDINANCE OR ORDINANCES IN EFFECT AT THE PRESENT TIME SO THAT THEY WILL BE REPEALED BY DEFINITE MENTION] and all other ordinances or parts of ordinances in conflict herewith are hereby repealed.

Section 5. That if any section, subsection, sentence, clause or phrase of this ordinance is, for any reason, held to be unconstitutional, such decision shall not affect the validity of the remaining portions of this ordinance. The [GOVERNING BODY] hereby declares that

it would have passed this ordinance, and each section, subsection, clause or phrase thereof, irrespective of the fact that any one or more sections, subsections, sentences, clauses and phrases be declared unconstitutional.

Section 6. That nothing in this ordinance or in the Fire Code hereby adopted shall be construed to affect any suit or proceeding impending in any court, or any rights acquired, or liability incurred, or any cause or causes of action acquired or existing, under any act or ordinance hereby repealed as cited in Section 2 of this ordinance; nor shall any just or legal right or remedy of any character be lost, impaired or affected by this ordinance.

Section 7. That the [JURISDICTION'S KEEPER OF RECORDS] is hereby ordered and directed to cause this ordinance to be published. (An additional provision may be required to direct the number of times the ordinance is to be published and to specify that it is to be in a newspaper in general circulation. Posting may also be required.)

Section 8. That this ordinance and the rules, regulations, provisions, requirements, orders and matters established and adopted hereby shall take effect and be in full force and effect [TIME PERIOD] from and after the date of its final passage and adoption.

TABLE OF CONTENTS

CHAPTER 1 ADMINISTRATION1		403	403 Public Assemblages and Events		
Secti	on	404	Fire Safety and Evacuation Plans		
101	General	405	Emergency Evacuation Drills		
102	Applicability1	406	Employee Training and Response Procedures 35		
103	Department of Fire Prevention	407	Hazard Communication		
104	General Authority and Responsibilities 2	408	Use and Occupancy-Related Requirements 36		
105	Permits		• •		
106	Inspections	CHA	PTER 5 FIRE SERVICE FEATURES39		
107	Maintenance	Section	on		
108	Board of Appeals	501	General		
109	Violations	502	Definitions		
110	Unsafe Buildings	503	Fire Apparatus Access Roads		
111	Stop Work Order	504	Access to Building Openings and Roofs 40		
CITA	DEED A DEDINITIONS	505	Premises Identification		
	PTER 2 DEFINITIONS	506	Key Boxes40		
Section 201	on General	507	Hazards to Fire Fighters41		
201	General Definitions	508	Fire Protection Water Supplies 41		
202	General Definitions	509	Fire Command Center		
СНА	PTER 3 GENERAL PRECAUTIONS	510	Fire Department Access to Equipment42		
	AGAINST FIRE25				
Section		CHA	PTER 6 BUILDING SERVICES AND		
301	General	o	SYSTEMS43		
302	Definitions	Section			
303	Asphalt Kettles25	601	General		
304	Combustible Waste Material	602	Definitions		
305	Ignition Sources	603	Fuel-Fired Appliances		
306	Motion Picture Film and Screens	604	Emergency and Standby Power Systems 45		
307	Open Burning and Recreational Fires26	605	Electrical Equipment, Wiring and Hazards 47		
308	Open Flames	606	Mechanical Refrigeration		
309	Powered Industrial Trucks29	607	Elevator Recall and Maintenance50		
310	Smoking	608	Stationary Lead-Acid Battery Systems 50		
311	Vacant Premises	609	Valve-Regulated Lead-Acid (VRLA) Battery		
312	Vehicle Impact Protection	(10	Systems		
313	Fueled Equipment	610	Commercial Kitchen Hoods		
314	Indoor Displays30	СНА	PTER 7 FIRE-RESISTANCE-RATED		
315	Miscellaneous Combustible Materials Storage 30	CIIA	CONSTRUCTION53		
CITA	DTED A EMEDCENCY DI ANNING AND	Secti	on		
СПА	PTER 4 EMERGENCY PLANNING AND PREPAREDNESS	701	General		
Secti		702	Definitions53		
401	General	703	Fire-Resistance-Rated Construction53		
402	Definitions	704	Floor Openings and Shafts53		

CHAI	PTER 8	INTERIOR FINISH, DECORATIVE	1017	Exits
		MATERIALS AND FURNISHINGS55	1018	Number of Exits and Continuity118
Sectio	_	FURNISHINGS	1019	Vertical Exit Enclosures
801		55	1020	Exit Passageways
			1021	Horizontal Exits
802		ons	1022	Exterior Exit Ramps and Stairways 121
803		ings	1023	Exit Discharge
804		ive Vegetation	1024	Assembly
805		tions and Trim	1025	Emergency Escape and Rescue
806	interior	Finish and Decorative Materials 58	1026	Means of Egress for Existing Buildings 128
СНАІ	PTER 9	FIRE PROTECTION SYSTEMS6	1 1027	Maintenance of the Means of Egress 133
Sectio			_	<u>C</u>
901			CHA	PTER 11 AVIATION FACILITIES135
902		ons	Cantin	on .
903		atic Sprinkler Systems	1101	General
904		tive Automatic Fire-Extinguishing	1102	Definitions
		ms69	9 1103	General Precautions135
905	Standpi	pe Systems	2 1104	Aircraft Maintenance
906	Portable	e Fire Extinguishers	4 1105	Portable Fire Extinguishers
907	Fire Ala	arm and Detection Systems	5 1106	Aircraft Fueling
908	Emerge	ncy Alarm Systems83	5 1107	Helistops and Heliports
909	Smoke	Control Systems83	5	
910	Smoke	and Heat Vents9	1 CHA	PTER 12 DRY CLEANING143
911	Explosi	on Control92	3 Section	on
912	Fire De	partment Connections	5 1201	General
913	Fire Pu	mps	5 1202	Definitions
			1203	Classifications
		MEANS OF EGRESS9'	7 1204	General Requirements
Section			1205	Operating Requirements
		l	1200	Spotting and Pretreating144
1002	Definiti	ions9	7 1207	Dry Cleaning Systems
1003		l Means of Egress9	1200	Fire Protection
1004	_	nt Load		
1005	_	Width10		PTER 13 COMBUSTIBLE DUST-PRODUCING
1006		of Egress Illumination 10	Canti	OPERATIONS147
1007		ible Means of Egress	1201	
1008	Doors,	Gates and Turnstiles		
1009	Stairwa	ys and Handrails		
1010	Ramps			
1011	Exit Sig	gns	1 1304	Explosion Protection
1012		11	CHA	PTER 14 FIRE SAFETY DURING
1013		ccess11	3	CONSTRUCTION AND
1014	Exit an	d Access Doorways11	4	DEMOLITION149
1015	Exit Ac	ccess Travel Distance	6 Section	on
1016	Corrido	ors11	6 1401	General

1402	Definitions	1702	Definitions
1403	Temporary Heating Equipment149	1703	Fire Safety Requirements165
1404	Precautions Against Fire		
1405	Flammable and Combustible Liquids149	CHA	PTER 18 SEMICONDUCTOR FABRICATION FACILITIES167
1406	Flammable Gases	Section	
1407	Explosive Materials		
1408	Owner's Responsibility for Fire Protection 150	1801	General 167
1409	Fire Alarm Reporting	1802	Definitions
1410	Access for Fire Fighting	1803	General Safety Provisions
1411	Means of Egress	1804	Storage
1412	Water Supply for Fire Protection	1805	Use and Handling171
1413	Standpipes	СНА	PTER 19 LUMBER YARDS AND
1414	Automatic Sprinkler System	CIIA	WOODWORKING FACILITIES 175
1415	Portable Fire Extinguishers	Section	on
1416	Motorized Equipment	1901	General
1417	Safeguarding Roofing Operations151	1902	Definitions
		1903	General Requirements
CHAI	PTER 15 FLAMMABLE FINISHES153	1904	Fire Protection
Sectio	on	1905	Plywood, Veneer and Composite Board
1501	General		Mills
1502	Definitions	1906	Log Storage Areas
1503	Protection of Operations	1907	Storage of Wood Chips and Hogged Material
1504	Spray Finishing		Associated With Timber and Lumber Production Facilities
1505	Dipping Operations	1908	
1506	Electrostatic Apparatus	1700	Material, Fines, Compost and Raw Product
1507	Powder Coating		Associated With Yard Waste and Recycling
1508	Automobile Undercoating161	1000	Facilities
1509	Organic Peroxides and Dual-Component	1909	Exterior Storage of Finished Lumber Products
1510	Coatings		11044015
	Floor Surfacing and Finishing Operations 161	СНА	PTER 20 MANUFACTURE OF ORGANIC
1311	Indoor Manufacturing of Reinforced Plastics 161		COATINGS179
CHA	PTER 16 FRUIT AND CROP RIPENING 163	Section	on
Section		2001	General
1601	General	2002	Definitions
1602	Definitions	2003	General Precautions
1603	Ethylene Gas	2004	Electrical Equipment and Protection 179
1604	Sources of Ignition	2005	Process Structures
1605	Combustible Waste	2006	Process Mills and Kettles
1606	Ethylene Generators	2007	Process Piping
1607	Warning Signs	2008	Raw Materials in Process Areas
		2009	Raw Materials and Finished Products181
СНА	PTER 17 FUMIGATION AND THERMAL	<u></u>	
_	INSECTICIDAL FOGGING 165		PTER 21 INDUSTRIAL OVENS 183
Section		Section	
1701	General 165	2101	General 183

TABLE OF CONTENTS

2102	Definitions	2403	Temporary Tents, Canopies and Membrane
2103	Location		Structures
2104	Fuel Piping	2404	Temporary and Permanent Tents, Canopies and Membrane Structures213
2105	Interlocks		Membrane Structures213
2106	Fire Protection	CHA	PTER 25 TIRE REBUILDING AND TIRE
2107	Operation and Maintenance		STORAGE217
		Section	on
CHAI	PTER 22 MOTOR FUEL-DISPENSING	2501	General
	FACILITIES AND REPAIR GARAGES185	2502	Definitions
Sectio		2503	Tire Rebuilding
2201	General	2504	Precautions Against Fire
2202	Definitions	2505	Outdoor Storage
2203	Location of Dispensing Devices	2506	Fire Department Access
2204	Dispensing Operations	2507	Fencing
2205	Operational Requirements	2508	Fire Protection
2206	•	2509	Indoor Storage Arrangement
2200	Dispensing Facilities		
2207	Liquefied Petroleum Gas Motor	CHA	
	Fuel-Dispensing Facilities	G41 -	
2208	Compressed Natural Gas Motor		
2200			
2209	Generation Facilities		
2210			
2211	Repair Garages		
	Tropun Guingoon	2509 Indoor Storage Arrangement 218	
CHAI	PTER 23 HIGH-PILED COMBUSTIBLE	Table Tabl	
a .:			•
Section			
2301		2009	
2302			1 and cases and onjgon
2303		CHA	
2304			
2305		Saatio	
2306	Features		
2307	Solid-Piled and Shelf Storage		
2308	Rack Storage	2702	
2309	Automated Storage	2703	General Requirements
2310	Specialty Storage	2704	Storage
		2103	Ose, Dispensing and Handling243
CHA	PTER 24 TENTS, CANOPIES AND OTHER	СНА	PTER 28 AEROSOLS247
G - 41	MEMBRANE STRUCTURES211	Section	
Section		2801	General
2401	General	2802	
2402	Definitions		

2803	Classification of Aerosol Products 247	3304	Explosive Materials Storage and Handling 270
2804	Inside Storage of Aerosol Products247	3305	Manufacture, Assembly and Testing of Explosives,
2805	Outside Storage		Explosive Materials and Fireworks 276
2806	Retail Display250	3306	Small Arms Ammunition
2807	Manufacturing Facilities	3307	Blasting
		3308	Fireworks Display
CHA	PTER 29 COMBUSTIBLE FIBERS251	CHAI	DEED 24 EL AMMADI E AND COMPLICATOR E
Section	on	CHAI	PTER 34 FLAMMABLE AND COMBUSTIBLE LIQUIDS283
2901	General	Section	_
2902	Definitions	3401	General
2903	General Precautions	3402	Definitions
2904	Loose Fiber Storage	3403	General Requirements
2905	Baled Storage	3404	Storage
CITA	DEED 40 COMPRESSED CASES	3405	Dispensing, Use, Mixing and Handling 307
	PTER 30 COMPRESSED GASES253	3406	Special Operations
Section			
3001	General	CHA	PTER 35 FLAMMABLE GASES323
3002	Definitions	Section	n
3003	General Requirements	3501	General
3004	Storage of Compressed Gases	3502	Definitions
3005	Use and Handling of Compressed Gases 255	3503	General Requirements
3006	Medical Gas Systems256	3504	Storage
3007	Compressed Gases Not Otherwise Regulated 256	3505	Use
CHA	PTER 31 CORROSIVE MATERIALS 257	CHAI	PTER 36 FLAMMABLE SOLIDS325
Section	on	Section	
3101	General	3601	General
3102	Definitions		
3103	General Requirements	3602	Definitions
3104	Storage	3603	General Requirements
3105	_	3604	Storage
		3605	Use
CHA	PTER 32 CRYOGENIC FLUIDS259	3606	Magnesium
Section	on	CHA	PTER 37 HIGHLY TOXIC AND TOXIC
3201	General		MATERIALS 329
3202	Definitions	Section	on
3203	General Requirements	3701	General
3204	Storage	3702	Definitions
3205	Use and Handling262	3703	Highly Toxic and Toxic Solids and Liquids330
		3704	Highly Toxic and Toxic Compressed Gases331
CHA	PTER 33 EXPLOSIVES AND FIREWORKS265	3705	Ozone Gas Generators
Section		CITA	DATED 30 I IOTHERED BEADON NAME
3301	General	CHA	PTER 38 LIQUEFIED PETROLEUM GASES337
3302	Definitions	Section	
3303	Record Keeping and Reporting269		General
-500		5501	

TABLE OF CONTENTS

3802	Definitions	CHAPTER 43 UNSTABLE (REACTIVE)
3803	Installation of Equipment	MATERIALS357
3804	Location of Containers	Section
3805	Prohibited Use of LP-Gas	4301 General
3806	Dispensing and Overfilling	4302 Definitions
3807	Safety Precautions and Devices	4303 General Requirements
3808	Fire Protection	4304 Storage
3809	Storage of Portable LP-Gas Containers Awaiting	4305 Use
5007	Use or Resale	CHAPTER 44 WATER-REACTIVE SOLIDS AND
3810	Containers Not in Service	LIQUIDS
3811	Parking and Garaging341	Section
		4401 General
CHAI	PTER 39 ORGANIC PEROXIDES343	4402 Definitions
Sectio	n	4403 General Requirements
3901	General	4404 Storage
3902	Definitions	4405 Use
3903	General Requirements	CHAPTER 45 REFERENCED STANDARDS 361
3904	Storage	CHAPTER 45 REFERENCED STANDARDS 301
3905	Use	APPENDIX A BOARD OF APPEALS369
		Section
	PTER 40 OXIDIZERS	A101 General
Section	n	
Secuo	11	
4001	General	APPENDIX B FIRE-FLOW REQUIREMENTS FOR BUILDINGS
4001 4002	General 347 Definitions 347	FOR BUILDINGS
4001 4002 4003	General347Definitions347General Requirements347	FOR BUILDINGS 371 Section 371 B101 General 371
4001 4002 4003 4004	General 347 Definitions 347 General Requirements 347 Storage 348	FOR BUILDINGS 371 Section 371 B101 General 371 B102 Definitions 371
4001 4002 4003	General347Definitions347General Requirements347	FOR BUILDINGS 371 Section 371 B101 General 371 B102 Definitions 371 B103 Modifications 371
4001 4002 4003 4004 4005	General 347 Definitions 347 General Requirements 347 Storage 348 Use 349	FOR BUILDINGS 371 Section 371 B101 General 371 B102 Definitions 371 B103 Modifications 371 B104 Fire-Flow Calculation Area 371
4001 4002 4003 4004 4005 CHA	General 347 Definitions 347 General Requirements 347 Storage 348 Use 349 PTER 41 PYROPHORIC MATERIALS 351	FOR BUILDINGS 371 Section 371 B101 General 371 B102 Definitions 371 B103 Modifications 371 B104 Fire-Flow Calculation Area 371 B105 Fire-Flow Requirements for Buildings 371
4001 4002 4003 4004 4005 CHAI	General 347 Definitions 347 General Requirements 347 Storage 348 Use 349 PTER 41 PYROPHORIC MATERIALS 351 on 349	FOR BUILDINGS 371 Section 371 B101 General 371 B102 Definitions 371 B103 Modifications 371 B104 Fire-Flow Calculation Area 371
4001 4002 4003 4004 4005 CHA D Section	General 347 Definitions 347 General Requirements 347 Storage 348 Use 349 PTER 41 PYROPHORIC MATERIALS 351 on General General 351	FOR BUILDINGS 371 Section 371 B101 General 371 B102 Definitions 371 B103 Modifications 371 B104 Fire-Flow Calculation Area 371 B105 Fire-Flow Requirements for Buildings 371 B106 Referenced Standards 371
4001 4002 4003 4004 4005 CHAI Section 4101 4102	General 347 Definitions 347 General Requirements 347 Storage 348 Use 349 PTER 41 PYROPHORIC MATERIALS 351 on 351 Definitions 351	FOR BUILDINGS 371 Section 371 B101 General 371 B102 Definitions 371 B103 Modifications 371 B104 Fire-Flow Calculation Area 371 B105 Fire-Flow Requirements for Buildings 371
4001 4002 4003 4004 4005 CHAI Section 4101 4102 4103	General 347 Definitions 347 General Requirements 347 Storage 348 Use 349 PTER 41 PYROPHORIC MATERIALS 351 on 351 Definitions 351 General Requirements 351	FOR BUILDINGS 371 Section 371 B101 General 371 B102 Definitions 371 B103 Modifications 371 B104 Fire-Flow Calculation Area 371 B105 Fire-Flow Requirements for Buildings 371 B106 Referenced Standards 371 APPENDIX C FIRE HYDRANT LOCATIONS AND
4001 4002 4003 4004 4005 CHAI Section 4101 4102 4103 4104	General 347 Definitions 347 General Requirements 347 Storage 348 Use 349 PTER 41 PYROPHORIC MATERIALS 351 on 351 Definitions 351 General Requirements 351 Storage 351 Storage 351	FOR BUILDINGS 371 Section 371 B101 General 371 B102 Definitions 371 B103 Modifications 371 B104 Fire-Flow Calculation Area 371 B105 Fire-Flow Requirements for Buildings 371 B106 Referenced Standards 371 APPENDIX C FIRE HYDRANT LOCATIONS AND DISTRIBUTION 373
4001 4002 4003 4004 4005 CHAI Section 4101 4102 4103 4104 4105	General 347 Definitions 347 General Requirements 347 Storage 348 Use 349 PTER 41 PYROPHORIC MATERIALS 351 on 351 Definitions 351 General Requirements 351 Storage 351 Use 351	FOR BUILDINGS 371 Section 371 B101 General 371 B102 Definitions 371 B103 Modifications 371 B104 Fire-Flow Calculation Area 371 B105 Fire-Flow Requirements for Buildings 371 B106 Referenced Standards 371 APPENDIX C FIRE HYDRANT LOCATIONS AND DISTRIBUTION 373 Section 373
4001 4002 4003 4004 4005 CHAI Section 4101 4102 4103 4104	General 347 Definitions 347 General Requirements 347 Storage 348 Use 349 PTER 41 PYROPHORIC MATERIALS 351 on 351 Definitions 351 General Requirements 351 Storage 351 Storage 351	FOR BUILDINGS 371 Section 371 B101 General 371 B102 Definitions 371 B103 Modifications 371 B104 Fire-Flow Calculation Area 371 B105 Fire-Flow Requirements for Buildings 371 B106 Referenced Standards 371 APPENDIX C FIRE HYDRANT LOCATIONS AND DISTRIBUTION 373 Section 373 C101 General 373 C102 Location 373 C103 Number of Fire Hydrants 373
4001 4002 4003 4004 4005 CHAI Section 4101 4102 4103 4104 4105 4106	General 347 Definitions 347 General Requirements 347 Storage 348 Use 349 PTER 41 PYROPHORIC MATERIALS 351 on 351 General 351 Definitions 351 General Requirements 351 Storage 351 Use 351 Silane Gas 352	FOR BUILDINGS 371 Section 371 B101 General 371 B102 Definitions 371 B103 Modifications 371 B104 Fire-Flow Calculation Area 371 B105 Fire-Flow Requirements for Buildings 371 B106 Referenced Standards 371 APPENDIX C FIRE HYDRANT LOCATIONS AND DISTRIBUTION 373 Section 373 C101 General 373 C102 Location 373 C103 Number of Fire Hydrants 373 C104 Consideration of Existing Fire Hydrants 373
4001 4002 4003 4004 4005 CHAI Section 4101 4102 4103 4104 4105 4106	General 347 Definitions 347 General Requirements 347 Storage 348 Use 349 PTER 41 PYROPHORIC MATERIALS 351 on 351 Definitions 351 General Requirements 351 Storage 351 Use 351	FOR BUILDINGS 371 Section 371 B101 General 371 B102 Definitions 371 B103 Modifications 371 B104 Fire-Flow Calculation Area 371 B105 Fire-Flow Requirements for Buildings 371 B106 Referenced Standards 371 APPENDIX C FIRE HYDRANT LOCATIONS AND DISTRIBUTION 373 Section 373 C101 General 373 C102 Location 373 C103 Number of Fire Hydrants 373
4001 4002 4003 4004 4005 CHAI Section 4101 4102 4103 4104 4105 4106	General 347 Definitions 347 General Requirements 347 Storage 348 Use 349 PTER 41 PYROPHORIC MATERIALS 351 on 351 General 351 Definitions 351 General Requirements 351 Storage 351 Use 351 Silane Gas 352 PTER 42 PYROXYLIN (CELLULOSE	FOR BUILDINGS 371 Section 371 B101 General 371 B102 Definitions 371 B103 Modifications 371 B104 Fire-Flow Calculation Area 371 B105 Fire-Flow Requirements for Buildings 371 B106 Referenced Standards 371 APPENDIX C FIRE HYDRANT LOCATIONS AND DISTRIBUTION 373 Section 373 C101 General 373 C102 Location 373 C103 Number of Fire Hydrants 373 C104 Consideration of Existing Fire Hydrants 373 C105 Distribution of Fire Hydrants 373
4001 4002 4003 4004 4005 CHAD Section 4101 4102 4103 4104 4105 4106 CHAD	General 347 Definitions 347 General Requirements 347 Storage 348 Use 349 PTER 41 PYROPHORIC MATERIALS 351 on 351 General 351 Definitions 351 General Requirements 351 Storage 351 Use 351 Silane Gas 352 PTER 42 PYROXYLIN (CELLULOSE NITRATE) PLASTICS 355	FOR BUILDINGS 371 Section 371 B101 General 371 B102 Definitions 371 B103 Modifications 371 B104 Fire-Flow Calculation Area 371 B105 Fire-Flow Requirements for Buildings 371 B106 Referenced Standards 371 APPENDIX C FIRE HYDRANT LOCATIONS AND DISTRIBUTION 373 Section 373 C101 General 373 C102 Location 373 C103 Number of Fire Hydrants 373 C104 Consideration of Existing Fire Hydrants 373
4001 4002 4003 4004 4005 CHA Section 4101 4102 4103 4104 4105 4106 CHA	General 347 Definitions 347 General Requirements 347 Storage 348 Use 349 PTER 41 PYROPHORIC MATERIALS 351 on 351 General 351 Definitions 351 General Requirements 351 Storage 351 Use 351 Silane Gas 352 PTER 42 PYROXYLIN (CELLULOSE NITRATE) PLASTICS NITRATE) PLASTICS 355 General 355	FOR BUILDINGS 371 Section 371 B101 General 371 B102 Definitions 371 B103 Modifications 371 B104 Fire-Flow Calculation Area 371 B105 Fire-Flow Requirements for Buildings 371 B106 Referenced Standards 371 APPENDIX C FIRE HYDRANT LOCATIONS AND DISTRIBUTION 373 Section 373 C101 General 373 C102 Location 373 C103 Number of Fire Hydrants 373 C104 Consideration of Existing Fire Hydrants 373 C105 Distribution of Fire Hydrants 373 APPENDIX D FIRE APPARATUS ACCESS

D102	Required Access
D103	Minimum Specifications
D104	Commercial and Industrial Developments 376
D105	Aerial Fire Apparatus Access Roads376
D106	Multiple-Family Residential Developments 376
D107	One- or Two-Family Residential Developments
APPE	NDIX E HAZARD CATEGORIES379
Sectio	n
E101	General
E102	Hazard Categories
E103	Evaluation of Hazards
APPE	NDIX F HAZARD RANKING
Sectio	n
F101	General
F102	Referenced Standards
APPE	NDIX G CRYOGENIC FLUIDS—WEIGHT AND VOLUME EQUIVALENTS 387
Sectio	n
G101	General
INDE	X

CHAPTER 1

ADMINISTRATION

SECTION 101 GENERAL

- **101.1 Title.** These regulations shall be known as the *Fire Code* of [NAME OF JURISDICTION], hereinafter referred to as "this code."
- **101.2 Scope.** This code establishes regulations affecting or relating to structures, processes, premises and safeguards regarding:
- The hazard of fire and explosion arising from the storage, handling or use of structures, materials or devices;
- Conditions hazardous to life, property or public welfare in the occupancy of structures or premises;
- Fire hazards in the structure or on the premises from occupancy or operation;
- Matters related to the construction, extension, repair, alteration or removal of fire suppression or alarm systems.
 - **101.2.1 Appendices.** Provisions in the appendices shall not apply unless specifically adopted.
 - 101.3 Intent. The purpose of this code is to establish the minimum requirements consistent with nationally recognized good practice for providing a reasonable level of life safety and property protection from the hazards of fire, explosion or dangerous conditions in new and existing buildings, structures and premises and to provide safety to fire fighters and emergency responders during emergency operations.
 - **101.4** Severability. If a section, subsection, sentence, clause or phrase of this code is, for any reason, held to be unconstitutional, such decision shall not affect the validity of the remaining portions of this code.
 - 101.5 Validity. In the event any part or provision of this code is held to be illegal or void, this shall not have the effect of making void or illegal any of the other parts or provisions hereof, which are determined to be legal; and it shall be presumed that this code would have been adopted without such illegal or invalid parts or provisions.

SECTION 102 APPLICABILITY

- **102.1 Construction and design provisions.** The construction and design provisions of this code shall apply to:
 - 1. Structures, facilities and conditions arising after the adoption of this code.
 - 2. Existing structures, facilities and conditions not legally in existence at the time of adoption of this code.
 - 3. Existing structures, facilities and conditions when identified in specific sections of this code.

- 4. Existing structures, facilities and conditions which, in the opinion of the code official, constitute a distinct hazard to life or property.
- **102.2** Administrative, operational and maintenance provisions. The administrative, operational and maintenance provisions of this code shall apply to:
 - Conditions and operations arising after the adoption of this code.
 - 2. Existing conditions and operations.
- [EB] 102.3 Change of use or occupancy. The provisions of the *International Existing Building Code* shall apply to all buildings undergoing a change of occupancy.
- **102.4** Application of building code. The design and construction of new structures shall comply with the *International Building Code*. Repairs, alterations and additions to existing structures shall comply with the *International Existing Building Code*.
- [EB] 102.5 Historic buildings. The construction, alteration, repair, enlargement, restoration, relocation or movement of existing buildings or structures that are designated as historic buildings when such buildings or structures do not constitute a distinct hazard to life or property shall be in accordance with the provisions of the *International Existing Building Code*.
- 102.6 Referenced codes and standards. The codes and standards referenced in this code shall be those that are listed in Chapter 45 and such codes and standards shall be considered part of the requirements of this code to the prescribed extent of each such reference. Where differences occur between the provisions of this code and the referenced standards, the provisions of this code shall apply.
- 102.7 Subjects not regulated by this code. Where no applicable standards or requirements are set forth in this code, or are contained within other laws, codes, regulations, ordinances or bylaws adopted by the jurisdiction, compliance with applicable standards of the National Fire Protection Association or other nationally recognized fire safety standards, as approved, shall be deemed as prima facie evidence of compliance with the intent of this code. Nothing herein shall derogate from the authority of the fire code official to determine compliance with codes or standards for those activities or installations within the code official's jurisdiction or responsibility.
- 102.8 Matters not provided for. Requirements that are essential for the public safety of an existing or proposed activity, building or structure, or for the safety of the occupants thereof, which are not specifically provided for by this code shall be determined by the fire code official.
- 102.9 Conflicting provisions. Where there is a conflict between a general requirement and a specific requirement, the specific requirement shall be applicable.

SECTION 103 DEPARTMENT OF FIRE PREVENTION

- 103.1 General. The department of fire prevention is established within the jurisdiction under the direction of the fire code official. The function of the department shall be the implementation, administration and enforcement of the provisions of this code.
- 103.2 Appointment. The fire code official shall be appointed by the chief appointing authority of the jurisdiction; and the fire code official shall not be removed from office except for cause and after full opportunity to be heard on specific and relevant charges by and before the appointing authority.
- 103.3 Deputies. In accordance with the prescribed procedures of this jurisdiction and with the concurrence of the appointing authority, the fire code official shall have the authority to appoint a deputy fire code official, other related technical officers, inspectors and other employees.
- 103.4 Liability. The fire code official, officer or employee charged with the enforcement of this code, while acting for the jurisdiction, shall not thereby be rendered liable personally, and is hereby relieved from all personal liability for any damage accruing to persons or property as a result of an act required or permitted in the discharge of official duties.
 - 103.4.1 Legal defense. Any suit instituted against any officer or employee because of an act performed by that officer or employee in the lawful discharge of duties and under the provisions of this code shall be defended by the legal representative of the jurisdiction until the final termination of the proceedings. The fire code official or any subordinate shall not be liable for costs in an action, suit or proceeding that is instituted in pursuance of the provisions of this code; and any officer of the department of fire prevention, acting in good faith and without malice, shall be free from liability for acts performed under any of its provisions or by reason of any act or omission in the performance of official duties in connection therewith.

SECTION 104 GENERAL AUTHORITY AND RESPONSIBILITIES

- 104.1 General. The fire code official is hereby authorized to enforce the provisions of this code and shall have the authority to render interpretations of this code, and to adopt policies, procedures, rules and regulations in order to clarify the application of its provisions. Such interpretations, policies, procedures, rules and regulations shall be in compliance with the intent and purpose of this code and shall not have the effect of waiving requirements specifically provided for in this code.
- 104.2 Applications and permits. The fire code official is authorized to receive applications, review construction documents and issue permits for construction regulated by this code, issue permits for operations regulated by this code, inspect the premises for which such permits have been issued and enforce compliance with the provisions of this code.
- 104.3 Right of entry. Whenever it is necessary to make an inspection to enforce the provisions of this code, or whenever the fire code official has reasonable cause to believe that there exists in a building or upon any premises any conditions or viola-

- tions of this code which make the building or premises unsafe, dangerous or hazardous, the fire code official shall have the authority to enter the building or premises at all reasonable times to inspect or to perform the duties imposed upon the fire code official by this code. If such building or premises is occupied, the fire code official shall present credentials to the occupant and request entry. If such building or premises is unoccupied, the fire code official shall first make a reasonable effort to locate the owner or other person having charge or control of the building or premises and request entry. If entry is refused, the fire code official has recourse to every remedy provided by law to secure entry.
 - 104.3.1 Warrant. When the fire code official has first obtained a proper inspection warrant or other remedy provided by law to secure entry, an owner or occupant or person having charge, care or control of the building or premises shall not fail or neglect, after proper request is made as herein provided, to permit entry therein by the fire code official for the purpose of inspection and examination pursuant to this code.
- **104.4 Identification.** The fire code official shall carry proper identification when inspecting structures or premises in the performance of duties under this code.
- **104.5** Notices and orders. The fire code official is authorized to issue such notices or orders as are required to affect compliance with this code in accordance with Sections 109.1 and 109.2.
- 104.6 Official records. The fire code official shall keep official records as required by Sections 104.6.1 through 104.6.4. Such official records shall be retained for not less than five years or for as long as the structure or activity to which such records relate remains in existence, unless otherwise provided by other regulations.
 - 104.6.1 Approvals. A record of approvals shall be maintained by the fire code official and shall be available for public inspection during business hours in accordance with applicable laws.
 - **104.6.2 Inspections.** The fire code official shall keep a record of each inspection made, including notices and orders issued, showing the findings and disposition of each.
 - 104.6.3 Fire records. The fire department shall keep a record of fires occurring within its jurisdiction and of facts concerning the same, including statistics as to the extent of such fires and the damage caused thereby, together with other information as required by the fire code official.
 - 104.6.4 Administrative. Application for modification, alternative methods or materials and the final decision of the fire code official shall be in writing and shall be officially recorded in the permanent records of the fire code official.
- **104.7** Approved materials and equipment. All materials, equipment and devices approved by the fire code official shall be constructed and installed in accordance with such approval.
 - 104.7.1 Material and equipment reuse. Materials, equipment and devices shall not be reused or reinstalled unless such elements have been reconditioned, tested and placed in good and proper working condition and approved.

104.7.2 Technical assistance. To determine the acceptability of technologies, processes, products, facilities, materials and uses attending the design, operation or use of a building or premises subject to inspection by the fire code official, the fire code official is authorized to require the owner or agent to provide, without charge to the jurisdiction, a technical opinion and report. The opinion and report shall be prepared by a qualified engineer, specialist, laboratory or fire safety specialty organization acceptable to the fire code official and shall analyze the fire safety properties of the design, operation or use of the building or premises and the facilities and appurtenances situated thereon, to recommend necessary changes. The fire code official is authorized to require design submittals to be prepared by, and bear the stamp of, a registered design professional.

104.8 Modifications. Whenever there are practical difficulties involved in carrying out the provisions of this code, the fire code official shall have the authority to grant modifications for individual cases, provided the fire code official shall first find that special individual reason makes the strict letter of this code impractical and the modification is in compliance with the intent and purpose of this code and that such modification does not lessen health, life and fire safety requirements. The details of action granting modifications shall be recorded and entered in the files of the department of fire prevention.

104.9 Alternative materials and methods. The provisions of this code are not intended to prevent the installation of any material or to prohibit any method of construction not specifically prescribed by this code, provided that any such alternative has been approved. The fire code official is authorized to approve an alternative material or method of construction where the fire code official finds that the proposed design is satisfactory and complies with the intent of the provisions of this code, and that the material, method or work offered is, for the purpose intended, at least the equivalent of that prescribed in this code in quality, strength, effectiveness, fire resistance, durability and safety.

104.10 Fire investigations. The fire code official, the fire department or other responsible authority shall have the authority to investigate the cause, origin and circumstances of any fire, explosion or other hazardous condition. Information that could be related to trade secrets or processes shall not be made part of the public record except as directed by a court of law.

104.10.1 Assistance from other agencies. Police and other enforcement agencies shall have authority to render necessary assistance in the investigation of fires when requested to do so.

104.11 Authority at fires and other emergencies. The fire chief or officer of the fire department in charge at the scene of a fire or other emergency involving the protection of life or property or any part thereof, shall have the authority to direct such operation as necessary to extinguish or control any fire, perform any rescue operation, investigate the existence of suspected or reported fires, gas leaks or other hazardous conditions or situations, or take any other action necessary in the reasonable performance of duty. In the exercise of such power, the fire chief is authorized to prohibit any person, vehicle, vessel or thing from approaching the scene and is authorized.

rized to remove, or cause to be removed or kept away from the scene, any vehicle, vessel or thing which could impede or interfere with the operations of the fire department and, in the judgment of the fire chief, any person not actually and usefully employed in the extinguishing of such fire or in the preservation of property in the vicinity thereof.

104.11.1 Barricades. The fire chief or officer of the fire department in charge at the scene of an emergency is authorized to place ropes, guards, barricades or other obstructions across any street, alley, place or private property in the vicinity of such operation so as to prevent accidents or interference with the lawful efforts of the fire department to manage and control the situation and to handle fire apparatus.

104.11.2 Obstructing operations. No person shall obstruct the operations of the fire department in connection with extinguishment or control of any fire, or actions relative to other emergencies, or disobey any lawful command of the fire chief or officer of the fire department in charge of the emergency, or any part thereof, or any lawful order of a police officer assisting the fire department.

104.11.3 Systems and devices. No person shall render a system or device inoperative during an emergency unless by direction of the fire chief or fire department official in charge of the incident.

SECTION 105 PERMITS

105.1 General. Permits shall be in accordance with Section 105.

105.1.1 Permits required. Permits required by this code shall be obtained from the fire code official. Permit fees, if any, shall be paid prior to issuance of the permit. Issued permits shall be kept on the premises designated therein at all times and shall be readily available for inspection by the fire code official.

105.1.2 Types of permits. There shall be two types of permits as follows:

- 1. Operational permit. An operational permit allows the applicant to conduct an operation or a business for which a permit is required by Section 105.6 for either:
 - 1.1. A prescribed period.
 - 1.2. Until renewed or revoked.
- 2. Construction permit. A construction permit allows the applicant to install or modify systems and equipment for which a permit is required by Section 105.7.

105.1.3 Permits for the same location. When more than one permit is required for the same location, the fire code official is authorized to consolidate such permits into a single permit provided that each provision is listed in the permit.

105.2 Application. Application for a permit required by this code shall be made to the fire code official in such form and detail as prescribed by the fire code official. Applications for permits shall be accompanied by such plans as prescribed by the fire code official.

105.2.1 Refusal to issue permit. If the application for a permit describes a use that does not conform to the requirements of this code and other pertinent laws and ordinances, the fire code official shall not issue a permit, but shall return the application to the applicant with the refusal to issue such permit. Such refusal shall, when requested, be in writing and shall contain the reasons for refusal.

105.2.2 Inspection authorized. Before a new operational permit is approved, the fire code official is authorized to inspect the receptacles, vehicles, buildings, devices, premises, storage spaces or areas to be used to determine compliance with this code or any operational constraints required.

105.2.3 Time limitation of application. An application for a permit for any proposed work or operation shall be deemed to have been abandoned six months after the date of filing, unless such application has been diligently prosecuted or a permit shall have been issued; except that the fire code official is authorized to grant one or more extensions of time for additional periods not exceeding 90 days each if there is reasonable cause.

105.2.4 Action on application. The fire code official shall examine or cause to be examined applications for permits and amendments thereto within a reasonable time after filing. If the application or the construction documents do not conform to the requirements of pertinent laws, the fire code official shall reject such application in writing, stating the reasons therefor. If the fire code official is satisfied that the proposed work or operation conforms to the requirements of this code and laws and ordinances applicable thereto, the fire code official shall issue a permit therefore as soon as practicable.

105.3 Conditions of a permit. A permit shall constitute permission to maintain, store or handle materials; or to conduct processes which produce conditions hazardous to life or property; or to install equipment utilized in connection with such activities; or to install or modify any fire protection system or equipment or any other construction, equipment installation or modification in accordance with the provisions of this code where a permit is required by Section 105.6 or 105.7. Such permission shall not be construed as authority to violate, cancel or set aside any of the provisions of this code or other applicable regulations or laws of the jurisdiction.

105.3.1 Expiration. An operational permit shall remain in effect until reissued, renewed, or revoked or for such a period of time as specified in the permit. Construction permits shall automatically become invalid unless the work authorized by such permit is commenced within 180 days after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of 180 days after the time the work is commenced. Before such work recommences, a new permit shall be first obtained and the fee to recommence work, if any, shall be one-half the amount required for a new permit for such work, provided no changes have been made or will be made in the original construction documents for such work, and provided further that such suspension or abandonment has not exceeded one year. Permits

are not transferable and any change in occupancy, operation, tenancy or ownership shall require that a new permit be issued.

105.3.2 Extensions. A permittee holding an unexpired permit shall have the right to apply for an extension of the time within which the permittee will commence work under that permit when work is unable to be commenced within the time required by this section for good and satisfactory reasons. The fire code official is authorized to grant, in writing, one or more extensions of the time period of a permit for periods of not more than 90 days each. Such extensions shall be requested by the permit holder in writing and justifiable cause demonstrated.

105.3.3 Occupancy prohibited before approval. The building or structure shall not be occupied prior to the fire code official issuing a permit that indicates that applicable provisions of this code have been met.

and upon the request of a permits. Where permits are required and upon the request of a permit applicant, the fire code official is authorized to issue a conditional permit to occupy the premises or portion thereof before the entire work or operations on the premises is completed, provided that such portion or portions will be occupied safely prior to full completion or installation of equipment and operations without endangering life or public welfare. The fire code official shall notify the permit applicant in writing of any limitations or restrictions necessary to keep the permit area safe. The holder of a conditional permit shall proceed only to the point for which approval has been given, at the permit holder's own risk and without assurance that approval for the occupancy or the utilization of the entire premises, equipment or operations will be granted.

105.3.5 Posting the permit. Issued permits shall be kept on the premises designated therein at all times and shall be readily available for inspection by the fire code official.

105.3.6 Compliance with code. The issuance or granting of a permit shall not be construed to be a permit for, or an approval of, any violation of any of the provisions of this code or of any other ordinance of the jurisdiction. Permits presuming to give authority to violate or cancel the provisions of this code or other ordinances of the jurisdiction shall not be valid. The issuance of a permit based on construction documents and other data shall not prevent the fire code official from requiring the correction of errors in the construction documents and other data. Any addition to or alteration of approved construction documents shall be approved in advance by the fire code official, as evidenced by the issuance of a new or amended permit.

105.3.7 Information on the permit. The fire code official shall issue all permits required by this code on an approved form furnished for that purpose. The permit shall contain a general description of the operation or occupancy and its location and any other information required by the fire code official. Issued permits shall bear the signature of the fire code official or other approved legal authorization.

new key when a lock is changed or rekeyed. The key to such lock shall be secured in the key box.

SECTION 507 HAZARDS TO FIRE FIGHTERS

- **507.1 Trapdoors to be closed.** Trapdoors and scuttle covers, other than those that are within a dwelling unit or automatically operated, shall be kept closed at all times except when in use.
- **507.2 Shaftway markings.** Vertical shafts shall be identified as required by this section.
 - 507.2.1 Exterior access to shaftways. Outside openings accessible to the fire department and which open directly on a hoistway or shaftway communicating between two or more floors in a building shall be plainly marked with the word SHAFTWAY in red letters at least 6 inches (152 mm) high on a white background. Such warning signs shall be placed so as to be readily discernible from the outside of the building.
 - **507.2.2** Interior access to shaftways. Door or window openings to a hoistway or shaftway from the interior of the building shall be plainly marked with the word SHAFTWAY in red letters at least 6 inches (152 mm) high on a white background. Such warning signs shall be placed so as to be readily discernible.
 - Exception: Marking shall not be required on shaftway openings which are readily discernible as openings onto a shaftway by the construction or arrangement.
- 507.3 Pitfalls. The intentional design or alteration of buildings to disable, injure, maim or kill intruders is prohibited. No person shall install and use firearms, sharp or pointed objects, razor wire, explosives, flammable or combustible liquid containers, or dispensers containing highly toxic, toxic, irritant or other hazardous materials in a manner which may passively or actively disable, injure, maim or kill a fire fighter who forcibly enters a building for the purpose of controlling or extinguishing a fire, rescuing trapped occupants or rendering other emergency assistance.

SECTION 508 FIRE PROTECTION WATER SUPPLIES

- **508.1 Required water supply.** An approved water supply capable of supplying the required fire flow for fire protection shall be provided to premises upon which facilities, buildings or portions of buildings are hereafter constructed or moved into or within the jurisdiction.
- **508.2** Type of water supply. A water supply shall consist of reservoirs, pressure tanks, elevated tanks, water mains or other fixed systems capable of providing the required fire flow.
 - **508.2.1 Private fire service mains.** Private fire service mains and appurtenances shall be installed in accordance with NFPA 24.
 - **508.2.2 Water tanks.** Water tanks for private fire protection shall be installed in accordance with NFPA 22.

- **508.3** Fire flow. Fire flow requirements for buildings or portions of buildings and facilities shall be determined by an approved method.
- **508.4 Water supply test.** The fire code official shall be notified prior to the water supply test. Water supply tests shall be witnessed by the fire code official or approved documentation of the test shall be provided to the fire code official prior to final approval of the water supply system.
- **508.5 Fire hydrant systems.** Fire hydrant systems shall comply with Sections 508.5.1 through 508.5.6.
 - **508.5.1** Where required. Where a portion of the facility or building hereafter constructed or moved into or within the jurisdiction is more than 400 feet (122 m) from a hydrant on a fire apparatus access road, as measured by an approved route around the exterior of the facility or building, on-site fire hydrants and mains shall be provided where required by the fire code official.

Exceptions:

- 1. For Group R-3 and Group U occupancies, the distance requirement shall be 600 feet (183 m).
- 2. For buildings equipped throughout with an approved automatic sprinkler system installed in accordance with Section 903.3.1.1 or 903.3.1.2, the distance requirement shall be 600 feet (183 m).
- **508.5.2** Inspection, testing and maintenance. Fire hydrant systems shall be subject to periodic tests as required by the fire code official. Fire hydrant systems shall be maintained in an operative condition at all times and shall be repaired where defective. Additions, repairs, alterations and servicing shall comply with approved standards.
- **508.5.3** Private fire service mains and water tanks. Private fire service mains and water tanks shall be periodically inspected, tested and maintained in accordance with NFPA 25 at the following intervals:
 - 1. Private fire hydrants (all types): Inspection annually and after each operation; flow test and maintenance annually.
 - 2. Fire service main piping: Inspection of exposed, annually; flow test every 5 years.
 - 3. Fire service main piping strainers: Inspection and maintenance after each use.
- **508.5.4 Obstruction.** Posts, fences, vehicles, growth, trash, storage and other materials or objects shall not be placed or kept near fire hydrants, fire department inlet connections or fire protection system control valves in a manner that would prevent such equipment or fire hydrants from being immediately discernible. The fire department shall not be deterred or hindered from gaining immediate access to fire protection equipment or fire hydrants.
- **508.5.5 Clear space around hydrants.** A 3-foot (914 mm) clear space shall be maintained around the circumference of fire hydrants except as otherwise required or approved.
- **508.5.6 Physical protection.** Where fire hydrants are subject to impact by a motor vehicle, guard posts or other approved means shall comply with Section 312.

SECTION 509 FIRE COMMAND CENTER

509.1 Features. Where required by other sections of this code and in all buildings classified as high-rise buildings by the *International Building Code*, a fire command center for fire department operations shall be provided. The location and accessibility of the fire command center shall be approved by the fire department. The fire command center shall be separated from the remainder of the building by not less than a 1-hour fire-resistance-rated fire barrier. The room shall be a minimum of 96 square feet (9 m²) with a minimum dimension of 8 feet (2438 mm). A layout of the fire command center and all features required by this section to be contained therein shall be submitted for approval prior to installation. The fire command center shall comply with NFPA 72 and shall contain the following features:

- 1. The emergency voice/alarm communication system unit.
- 2. The fire department communications system.
- 3. Fire-detection and alarm system annunciator system.
- 4. Annunciator visually indicating the location of the elevators and whether they are operational.
- 5. Status indicators and controls for air-handling systems.
- The fire-fighter's control panel required by Section 909.16 for smoke control systems installed in the building.
- 7. Controls for unlocking stairway doors simultaneously.
- 8. Sprinkler valve and water-flow detector display panels.
- 9. Emergency and standby power status indicators.
- 10. A telephone for fire department use with controlled access to the public telephone system.
- 11. Fire pump status indicators.
- 12. Schematic building plans indicating the typical floor plan and detailing the building core, means of egress, fire protection systems, fire-fighting equipment and fire department access.
- 13. Work table.
- Generator supervision devices, manual start and transfer features.
- 15. Public address system, where specifically required by other sections of this code.

SECTION 510 FIRE DEPARTMENT ACCESS TO EQUIPMENT

510.1 Identification. Fire protection equipment shall be identified in an approved manner. Rooms containing controls for air-conditioning systems, sprinkler risers and valves, or other fire detection, suppression or control elements shall be identified for the use of the fire department. Approved signs required to identify fire protection equipment and equipment location, shall be constructed of durable materials, permanently installed and readily visible.

APPENDIX B

FIRE-FLOW REQUIREMENTS FOR BUILDINGS

The provisions contained in this appendix are not mandatory unless specifically referenced in the adopting ordinance.

SECTION B101 GENERAL

B101.1 Scope. The procedure for determining fire-flow requirements for buildings or portions of buildings hereafter constructed shall be in accordance with this appendix. This appendix does not apply to structures other than buildings.

SECTION B102 DEFINITIONS

B102.1 Definitions. For the purpose of this appendix, certain terms are defined as follows:

FIRE FLOW. The flow rate of a water supply, measured at 20 pounds per square inch (psi) (138 kPa) residual pressure, that is available for fire fighting.

FIRE-FLOW CALCULATION AREA. The floor area, in square feet (m²), used to determine the required fire flow.

SECTION B103 MODIFICATIONS

B103.1 Decreases. The fire chief is authorized to reduce the fire-flow requirements for isolated buildings or a group of buildings in rural areas or small communities where the development of full fire-flow requirements is impractical.

B103.2 Increases. The fire chief is authorized to increase the fire-flow requirements where conditions indicate an unusual susceptibility to group fires or conflagrations. An increase shall not be more than twice that required for the building under consideration.

B103.3 Areas without water supply systems. For information regarding water supplies for fire-fighting purposes in rural and suburban areas in which adequate and reliable water supply systems do not exist, the fire code official is authorized to utilize NFPA 1142 or the *International Urban Wildland Interface Code*.

SECTION B104 FIRE-FLOW CALCULATION AREA

■ B104.1 General. The fire-flow calculation area shall be the total floor area of all floor levels within the exterior walls, and under the horizontal projections of the roof of a building, except as modified in Section B104.3.

B104.2 Area separation. Portions of buildings which are separated by fire walls without openings, constructed in accordance with the *International Building Code*, are allowed to be consid-

ered as separate fire-flow calculation areas.

B104.3 Type IA and Type IB construction. The fire-flow calculation area of buildings constructed of Type IA and Type IB construction shall be the area of the three largest successive floors.

Exception: Fire-flow calculation area for open parking garages shall be determined by the area of the largest floor.

SECTION B105 FIRE-FLOW REQUIREMENTS FOR BUILDINGS

B105.1 One- and two-family dwellings. The minimum fire-flow requirements for one- and two-family dwellings having a fire-flow calculation area which does not exceed 3,600 ■ square feet (344.5 m²) shall be 1,000 gallons per minute (3785.4 L/min). Fire flow and flow duration for dwellings having a fire-flow calculation area in excess of 3,600 square feet (344.5 m²) shall not be less than that specified in Table B105.1.

Exception: A reduction in required fire flow of 50 percent, as approved, is allowed when the building is provided with an approved automatic sprinkler system.

B105.2 Buildings other than one- and two-family dwellings. The minimum fire flow and flow duration for buildings other than one- and two-family dwellings shall be as specified in Table B105.1.

Exception: A reduction in required fire flow of up to 50 percent, as approved, is allowed when the building is provided with an approved automatic sprinkler system installed in accordance with Section 903.3.1.1 or 903.3.1.2 of the *International Fire Code*. Where buildings are also of Type I or II construction and are a light-hazard occupancy as defined by NFPA 13, the reduction may be up to 75 percent. The resulting fire flow shall not be less than 1,500 gallons per minute (5678 l/min) for the prescribed duration as specified in Table B 105.1.

SECTION B106 REFERENCED STANDARDS

ICC	IBC	International Building Code	B104.2, Table B105.1
ICC	IFC	International Fire Code	B105.2
ICC	IUWIC	International Urban- Wildland Interface Code	B103.3
NFPA	1142	Standard on Water Supplies for Suburban and Rural Fire Fighting	B103.3

TABLE B105.1
MINIMUM REQUIRED FIRE FLOW AND FLOW DURATION FOR BUILDINGS^a

FIRE-FLOW CALCULATION AREA (square feet)			FIRE FLOW	FLOW		
Type IA and IBb Type IIA and IIIAb		Type IV and V-A ^b	Type IIB and IIIB ^b	Type V-B ^b	(gallons per minute) ^c	DURATION (hours)
0-22,700	0-12,700	0-8,200	0-5,900	0-3,600	1,500	
22,701-30,200	12,701-17,000	8,201-10,900	5,901-7,900	3,601-4,800	1,750	
30,201-38,700	17,001-21,800	10,901-12,900	7,901-9,800	4,801-6,200	2,000	
38,701-48,300	21,801-24,200	12,901-17,400	9,801-12,600	6,201-7,700	2,250	2
48,301-59,000	24,201-33,200	17,401-21,300	12,601-15,400	7,701-9,400	2,500	
59,001-70,900	33,201-39,700	21,301-25,500	15,401-18,400	9,401-11,300	2,750	
70,901-83,700	39,701-47,100	25,501-30,100	18,401-21,800	11,301-13,400	3,000	
83,701-97,700	47,101-54,900	30,101-35,200	21,801-25,900	13,401-15,600	3,250	
97,701-112,700	54,901-63,400	35,201-40,600	25,901-29,300	15,601-18,000	3,500	3
112,701-128,700	63,401-72,400	40,601-46,400	29,301-33,500	18,001-20,600	3,750	
128,701-145,900	72,401-82,100	46,401-52,500	33,501-37,900	20,601-23,300	4,000	
145,901-164,200	82,101-92,400	52,501-59,100	37,901-42,700	23,301-26,300	4,250	
164,201-183,400	92,401-103,100	59,101-66,000	42,701-47,700	26,301-29,300	4,500	
183,401-203,700	103,101-114,600	66,001-73,300	47,701-53,000	29,301-32,600	4,750	
203,701-225,200	114,601-126,700	73,301-81,100	53,001-58,600	32,601-36,000	5,000	
225,201-247,700	126,701-139,400	81,101-89,200	58,601-65,400	36,001-39,600	5,250	u
247,701-271,200	139,401-152,600	89,201-97,700	65,401-70,600	39,601-43,400	5,500	
271,201-295,900	152,601-166,500	97,701-106,500	70,601-77,000	43,401-47,400	5,750	
295,901-Greater	166,501-Greater	106,501-115,800	77,001-83,700	47,401-51,500	6,000	4
	<u> </u>	115,801-125,500	83,701-90,600	51,501-55,700	6,250	
		125,501-135,500	90,601-97,900	55,701-60,200	6,500	
	_	135,501-145,800	97,901-106,800	60,201-64,800	6,750	
	<u> </u>	145,801-156,700	106,801-113,200	64,801-69,600	7,000	
		156,701-167,900	113,201-121,300	69,601-74,600	7,250	
		167,901-179,400	121,301-129,600	74,601-79,800	7,500	
		179,401-191,400	129,601-138,300	79,801-85,100	7,750	
		191,401-Greater	138,301-Greater	85,101-Greater	8,000	

For SI: 1 square foot = 0.0929 m², 1 gallon per minute = 3.785 L/m, 1 pound per square inch = 6.895 kPa.

¹ a. The minimum required fire flow shall be permitted to be reduced by 25 percent for Group R.

b. Types of construction are based on the International Building Code.

c. Measured at 20 psi.